

TEMPERATURE ★

B&R.SERVICE, INC.

★ SURVEYS ★ ★

BOX 1048 - FARMINGTON, NEW MEXICO

Pressure Survey

COMPANY AUSTRAL OIL COMPANY
FIELD
COUNTY SAN JUAN
SHUT-IN
ZERO POINT TBG. GATE
TBG. DEPTH
PACKER SET
FLUID LEVEL NONE ✓

LEASE HERFANDOT UNIT
LOCATION
STATE NEW MEXICO
ELEVATION
TBG. PRESSURE
CASING SET
CASING PERF.

WELL 2-34
DATE 4-25-63
DATUM
CASING PRESSURE
P. B. T. D.
MAX. TEMP. 181°

DEPTH

PSIG

GRADIENT

*LUBE

1473

1000

1542

3000

1640

4000

1705

5000

1763

6000

1815

- 6 6450 ✓

1842 ✓

6550

1855 -

.13

*Corrected Psig @ 80° 1491

6761 (-317')

1864

K.B. 6444'



LTR

HOUSTON 2, TEXAS

LOCATION: Section 34, Township 27 North, Range 9 West, San Juan County,
New Mexico

DRILLER'S LOG

Formation	From	To
Surface	0	355
Shale	355	889
Sand & Shale	889	6873
Sand	6873	6886
Sand & Shale	6886	6917 TD

Casing Record:

Ran 11 joints of new 24# 8 5/8"
8 RT casing, 3 centralizers,
3 Texas Paterson guide shoe.
Cemented w/250 sacks 2% HAS.
Circulated 20 bbl cement.
Plug down @ 9:30 PM 3/13/63
Picked up 77 joints of tubing
2370.76'. Tagged cement @
2397.26'. Float shoe @ 6881'.
Rig released @ 3:00 PM 4/5/63.

Drill Stem Tests:

14C

yes

Well Completed: 3/12/63
4/5/63

By

Handa rif

3.1

NO. 1

:ZGT4500

DRILLER'S LOG

[illegible]

1992-1993)

Testa et al.

FOUO only 01/15

and significant

January 11, 1964

Wet (continued)

STANDARD OIL COMPANY