

Sec. 34
T-27-N
R-9-W

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe, N.M.**

Lease No. **ST-080117**

Unit **Superficial Unit I**
Sec. 943

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Fracing	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 3, 1963

Well No. **2-34** is located **1850** ft. from **[N]** line and **1500** ft. from **[E]** line of sec. **34**


NE 1/4 Section 34 (1/4 Sec. and Sec. No.) **T-27-N** (Twp.) **R-9-W** (Range) **100M** (Meridian)
Santa-Dakota (Field) **San Juan** (County or Subdivision) **New Mexico** (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4-3-63 Fraced perforations 6846-878'; 6819-829'; 6794-813'; 6723-757'; 6662-667'; 6644-650' ES with 94,400 gals water and 99,500' mud. Flushed w/5,000 gallons water. Used 300 cu. ft. CO₂ to barrel of material. Used 35 balls. Rate 46 B/min at 3,500' to 4,000'. Final SI pressure 525'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Austral Oil Company Incorporated**

Address **300 San Jacinto Building**
Houston 2, Texas

By **R. Copeland**
Title **Drilling Superintendent**