

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Mexico District
Lease No. 078422
Unit Everano Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, November 2, 1952

Well No. 17 is located 1550 ft. from N line and 1550 ft. from E line of sec. 11

11 of Section 11 T-27-N R-12-E 14-1-W
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5047 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

Well was drilled to a total depth of 1740 feet with rotary tools. Shot formation from 1659 to 1740 feet open with 220 quarts mercuric blow detonating explosive. Well was cleaned out to total depth with gas and 1-1/4" tubing was landed at 1704 feet. Well was shut in 89 hours. Shut in casing pressure 456 psi. After 3 hour blow down well measured 1540 psi per 24 hours through 2" outlet with pitot tube September 30, 1952.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Standard Oil and Gas Company

Address Box 457

Farmington, New Mexico

By E. A. Hest

Title Field Superintendent



OIL CONSERVATION COMMISSION

AZTEC DISTRICT OFFICE

No. Copies Received 2

DISTRIBUTION

	NO. FURNISHED	
Operator		
Santa Fe	1	
Proration Office		
State Land Office		
U. S. G. S.		
Transporter		
File	1	✓



Line OIL WELL SERVICE CO.

RECEIVED
SEP 26 1952
STANOLIND OIL & GAS CO.
WASHINGTON, D. C.

TEMPERATURE SURVEY

LOCATION

COMPANY STANOLIND OIL & GAS CO.

FILE

WELL MURRAY UNIT # 17

FIELD

COUNTY SAN JUAN STATE N. MEX.

SEC. 31 TWP 27N RGE 10W

SURVEY

COMPANY STANOLIND OIL & GAS CO.
WELL MURRAY UNIT # 17
FIELD
COUNTY SAN JUAN STATE N. MEX.
FILE

Type of Survey TEMPERATURE (MECHANICAL)

Log Measured From R.T. Elevation

Drilling Measured From Elevation

Permanent Datum Elevation

Date of Cementing Sept. 21, 1952

Time 11:20 P.M.

Date of Survey Sept. 22, 1952

Time 1:30 P.M.

Amount of Cement 72 Sacks

Type Re.

Amount of Admix

Type

Casing Size

Casing Depth

Diam of Hole

Depth

82" from 0 to 1639' 7 7/8" from to

Survey Begins at 500' Ft. Ends at 1558' Ft.

Approx. Fill-Up 1000' Max. Temp. 88 Deg. @ 1550' Ft.

Run No. 1 Approx. Top Cement 1050' Ft.

Recorded by ROBERT A. SAMPLEY Witnessed by R. L. HINDE

REMARKS OR OTHER DATA

Approx. Fill-Up Based on Average of 1.1 cu. ft. per sack of set cement

TEMPERATURE IN DEGREES FAHRENHEIT

