


O. C. C.



**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

Land Office New MexicoLease No. 01074Unit Huerfano UnitI-Sec. No. 731

Northeast 1/4 Section 36

Designated Drilling Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, September 16 1952Well No. 16 is located 1550 ft. from [N] line and 590 ft. from [E] line of sec. 36

NE 1/4 of Section 36 T-27-N R-11-W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft. (To be reported later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)


We propose to drill the above well to approximately 2200 feet. Rotary tools will be used to total depth. Casing will be set on top of pay. Pictured Cliffs will be drilled with gas and cleaned out with gas after shot with SNG.

The following casing program is proposed:

Size	Depth	Cement	Remarks:
9-5/8"	100	100	175% of calculated amount to circulate.
5-1/2"	2100	150	100% of calculated amount to fill 895' above shoe.

Copies of location plats are attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas CompanyAddress Box 487Farmington, New MexicoBy [Signature]Title Farm Boss

COPY FOR
STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Mexico
Lease No. 3174
Unit Merfano Unit
I-See. No. 711
Northeast 1/4 Section 36
Designated Drilling Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, September 16, 1952

Well No. 16 is located 1550 ft. from N line and 590 ft. from E line of sec. 36
1/4 of Section 36 T-27-N R-11-W N-11-M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Field San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft. (To be reported later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 2200 feet. Rotary tools will be used to total depth. Casing will be set on top of pay. Pictured Cliffs will be drilled with gas and cleaned out with gas after shot with 200.

The following casing program is proposed:

Size	Depth	Cement	Remarks
8-5/8"	100	100	175% of calculated amount to circulate.
5-1/2"	2100	150	100% of calculated amount to fill 895' above shoe.

Copies of location plate are attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas Company

Address Box 467

Farmington, New Mexico

By M. C. Wunnike

Title Farm Boss

OIL CONSERVATION COMMISSION
AZTEC DISTRICT OFFICE

No. Copies Received 2

DISTRIBUTION

	NO. FURNISHED	
Operator		
Santa Fe	1	
Procratlon Office		
State Land Office		
U. S. S.		
Transporter		
File	1	
		✓