



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. NM-03603-A
Unit Hammond

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 1, 1973

Well No. 43 is located 1800 ft. from N line and 650 ft. from E line of sec. 26

NE/4 Section 26 27 N 8 W NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco Mesa Verde San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6015 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Place cement plug from total depth 4503 to 3600' (covering Mesa Verde formation)
2. Perf 2200' and set cement retainer @ 2050' and cement with 200 sacks.
3. Perforate casing @ 1400' and cement with sufficient cement to cover the Ojo Alamo formation, inside and outside of 7" casing if casing is not pulled.
4. Cement with 30" surface plug and erect marker and clean location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company R & G Drilling Company, Inc.

Address 1775 Broadway

New York, New York 10019

By William C. Russell
William C. Russell
Title President



