

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **#070089**
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 29, 1962

Federal Scott

Well No. **11** is located **1120** ft. from **S** line and **330** ft. from **W** line of sec. **25**

SW 1/4 Sec. 25 (1/4 Sec. and 1/4 Sec. No.)
West Ritz Canyon (Field)
Basin - Dakota (County or Subdivision)
San Juan (Range)
HMPM (Meridian)
New Mexico (State or Territory)

The elevation of the derrick floor above sea level is **6400** ft. **K8 Est.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cement-

To drill and test subject well to the Dakota formation. Surface Casing: 8-5/8" 2W casing to be set at approx. 250' KB and cemented to surface. Production Casing: 4-1/2" 11.6#/ft. J-55 casing to 6700' with stage collar set approx. 50' below Picture Cliff. Use centralizers and scratchers thru the Dakota and Picture Cliff Sands. Cement W/300 sack 50-50 Pozmix S W/2% gel on 1st stage and 150 sack Neat cement on 2nd stage. No coring or testing planned. Logging: Comb. ES-Induction Log from TD to surface casing. Detail ES-Induction Log and Sonic Caliper-Gamma log, bottom 400', 200' thru Gallup, and 400' thru Picture Cliff and Fruitland. Run Cement Bond-Gamma Ray-Collar Log in conjunction W/perforating. Drilling Time: Use Geolograph from 250' to TD. Drift Surveys: At 50' intervals to 250'; thereafter, at 250' intervals. Standard Depth Measurements: SLM of drill pipe at approx. 300' above the Lower Gallup zone, prior to coring, DST, and at TD. Samples: Collect 10' samples from 5000' to TD or as directed by wellsite geologist.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The British-American Oil Producing Company**

Address **P.O. Box 180**
Denver, Colorado

By **Thomas M. Hagan**
Title **District Superintendent**

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Location Plat

Section A.


Date November 26, 1962

Operator British American Oil Producing Company Lease Federal South
Well No. 11 Unit Letter M Section 25 Township 27 North Range 12 East
Located 1120 Feet From South Line. 330 Feet From West
County San Juan G. L. Elevation 6521 Dedicated Acreage 330
Name of Producing Formation Basin Dakota Pool West Basin Canyon Basin Dakota


1. Is the Operator the only owner* in the dedicated acreage outlined on the plat? Yes XX No
2. If the answer to question one is "no," have the interests of all the owners been acquired by communitization agreement or otherwise? Yes No If answer is "no,"
Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests.

Owner

Land Description



Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

The British American Oil Prod. Co.

(Operator)

Max E. Stone

(Representative)

P. O. Drawer 330

Address

Farlington, N.M.

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed Oct. 27, 1962

Ernest V. Echols

Ernest V. Echols

Registered Land Surveyor.

Certificate No. 3602