


(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R-359.1.
Approval expires 12-31-55.Indian Agency Window Rock, Ariz.UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY002701
002700
Allottee 011501
Lease No. 1-149-110-1473

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	JUN 8 1964
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 5, 1964

Well No. 2-25 is located 2310 ft. from N line and 1650 ft. from E line of sec. 8525/4 of Section 25
(1/4 Sec. and Sec. No.)27N
(Twp.)4N
(Range)105W
(Meridian)Basin Dakota
(Field)San Juan
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is _____ ft. 6,136 - ground level

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well is to be known as the Huertanito (6013) 2-25 and is to be drilled to 7000'. This will be a Dakota gas test. The surface casing is to be 8.5/8" O.D., set at 35', and cemented full length with approximately 25' ex. Production casing will be 4.1/2" O.D. and will be set through the lower most productive sand with quantity of cement used to be determined by thickness of sands to be protected. A stage cementing tool will be set 50' below the base of the Pictured Cliff formation and adequate cement used to bring cement at least 50' above the top of this formation. The well will be drilled with water to about 4,000' after which mud will be used to total depth.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Austral Oil Company IncorporatedAddress 300 San Jacinto Bldg.Houston, Texas 77002By R. Caplan
Title Drilling & Production Mgt.

--	--	--	--

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.

Date June 5, 1964

Operator AUSTRAL OIL CO. Lease HUERFANITO (6213)
Well No. 8-25 Unit Letter G Section 25 Township 27N Range 9W NMPM
Located 2310 Feet From north Line, 1650 Feet From east Line
County San Juan G. L. Elevation 6136 Dedicated Acreage 320 acres (E $\frac{1}{4}$) Acres
Name of Producing Formation Dakota Pool Basin

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes _____ No X .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes X No _____. If answer is "yes," Type of Consolidation Verbal agreement w/ Mr. J. Glenn Turner who is the owner of the
3. If the answer to question two is "no," list all the owners and their respective interests below:

SE/4 of Section 25.

Owner

Land Description

RECEIVED

JUN 8 1964

OIL CON. COM.
DIST. 3

JUN 8 1964

Section B

U. S. GEOLOGICAL SURVEY

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

AUSTRAL OIL CO.
(Operator)


C. R. Geffs C. R. Geffs
(Representative)
300 San Jacinto Bldg.
Houston 2, Texas
Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed June 4, 1964

Stephen H. Kinney
STEPHEN H. KINNEY
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 803



(See instructions for completing this form on the reverse side)