

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

5. Lease Designation and Serial No.

SF-079232

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Bolack C LS 14

9. API Well No.

3004506281

10. Field and Pool, or Exploratory Area

Blanco PC/Blanco Mesaverde

11. County or Parish, State

San Juan New Mexico

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Amoco Prodction Company

Attention:

Pat Archuleta, Room 1205C

3. Address and Telephone No.

P.O. Box 800, Denver, Colorado 80201

(303) 830-5217

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

800' FNL 1640'FEL Sec. 30 T 27N R 8W Unit B

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other *comingle*

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Amoco Production Company requests permission to preform a workover to this well per the attached procedures.

If you have any technical quesitons contact Mark Rothenberg at (303) 830-5612.

RECEIVED
DEC 10 1996
OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct

Signed

Pat Archuleta

Title

Staff Assistant

APPROVED
DEC 12 1996

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

DEC 05 1996
/S/ Duane W. Spencer
DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

* See Instructions on Reverse Side

NMOC

Wellname: Bolack C LS 14

Page 2

12/2/96

Suggested Procedures:

1. Contact Federal or State agency prior to starting repair work.
2. Install and/or test anchors.
3. MIRUSU. Check and record tubing, casing and bradenhead pressures.
4. Blow well down, kill if necessary with water.
5. Set, by slickline, a tubing plug in the short string. Set, by slickline, a tubing plug long string. Remove wellhead and NU BOP.
6. Lay blooie line for hot well work. Blow down tbg, then csg. Strap out of hole with both strings. Lay down short string and look for leaks in long string, especially above seal assembly. Have both strings of tbg inspected.
7. Pick up tubing and bit and mill out packer. Pluck packer out of hole and clean out hole to PBTD.
8. Trip in hole with 2 3/8" tubing and land open ended with half mule shoe on bottom and seating nipple one joint off bottom at previous depth of 4460'.
9. Flow back the PC and MV, swabbing or utilizing Nitrogen as necessary. Tie well back into surface equipment and low pressure line and turn over to production.

If problems are encountered, please contact:

MARK ROTHENBERG

(W) (303) 830-5612

(H) (303) 841-8503

(P) (303) 553-6448

