



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 075092  
Unit Field Douthitt

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<u>SETTING OF SURFACE CASING</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 15, 1961

Well No. 2 is located 790 ft. from N line and 790 ft. from W line of sec. 26

Sec. 26 (1/4 Sec. and Sec. No.) 27 (Twp.) 11 (Range) NM (Meridian)  
West Rito Canyon (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6409 ft. G.L.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 12-1/4" hole to 232'. Rigged up and ran 8-5/8" surface casing as follows-

1 - 8-5/8" Baker guide shoe	1.26
7 - 7 1/2" 8-5/8" 24# J-55 P-R Thd. Casing	224.62
Total	225.88
Landed at	228 GL

Cemented with 150 sacks cement, 2 percent calcium chloride. Displaced with plug. Good returns to surface. Job completed 11:30 AM 3-15-61.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced

Company The British-American Oil Prod. Co.

Address P. O. Drawer 330

Farmington, N.M.

By Wae E. Stone  
Title Field Superintendent