

## UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

June 4, 1956

OIL CON. COM.

El Paso Natural Gas Company Box 997 Farmington, New Mexico

Re: New Mexico 03380

#### Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated June 1, 1956 covering your well No. 7-D Florance in SE<sup>1</sup> sec. 19, T. 27 N., R. 8 W., N. F. P. M., San Juan County, New Mexico. So. Blanco P.C.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

- 1. Prilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours,

(Orig. Sgd.) P. T. McGRATH

P. T. McGrath
District Engineer

PIMeGrath:ac



# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

TANGO TAGIEOLOSE

a kirkî dirina 🔪 🛫 Listin diğa sahira a kirkîn kirkina



e e e

4.0

 $e_i = \frac{1}{2} e_i$  ,  $\frac{1}{2} e_i = 2$ 

The state of the s

ю.

For (F	orm <b>9-331 a</b> (Feb. 1951)					

Farmington, New Mexico

### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Jou	Herico				
Lease No	03380					
Unit	Flurance					

		CURSEOUS	UT DEDOOT OF WATER	SHIIT_OFF	į
NOTICE OF INTENTION TO DRIL		SUBSEQUE		SHUT-OFF	
OTICE OF INTENTION TO CHAN	l li				
OTICE OF INTENTION TO TEST			NT REPORT OF ALTERI		
OTICE OF INTENTION TO RE-D		1	NT REPORT OF RE-DRIL		
OTICE OF INTENTION TO SHOO			NT REPORT OF ABANDO	// <b>₹</b>	
IOTICE OF INTENTION TO PULL			NTARY WELL HISTORY.		V
OTICE OF INTENTION TO ABAN	IDON WELL				- 12
				74.20	
11)	NDICATE ABOVE BY CHECK M	ARK NATURE OF REPO	ORT, NOTICE, OR OTHER	DATA	
				Ame 1	, 19.5
		**			, I / - Æ
		XHEX	13860 C.C	(E) 1. c	10
ell No. <b>7-D</b> is l	located 900 ft. fr	$\operatorname{fom}_{-}\left\{ S\right\} $ line as	nd 2000 ft. fro	$om_{\{w_i\}}$ line of so	ec. <u>/</u>
E Section 19	ome	<b>A</b> ir	MAPM	• •	
(½ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)		
lo. Rlanco P.C.	(=,	San Juan		New Mexico	
(Field)	(Cou	nty or Subdivision)		(State or Territory)	
t is intended to	oths to objective sands; showing points; and drill a small the crate and water	rn the Picti	lengths of proposed ca proposed work)	rmation using	rotery
It is intended to tools and to perform Depth 2170*.  Casing Program: 9 5/8* at	oths to objective sands; showing points; and drill a small the crute and water	w sizes, weights, and all other important; iru the Pictu fracture poi	lengths of proposed ca proposed work)  red Cliff formatible produce  r cement circ	rmation using ing somes. I	rotary atimate
It is intended to tools and to perfo Total Depth 2170*. Casing Program: 9 5/8" at	oths to objective sands; showing points; and drill a small the crate and water	w sizes, weights, and all other important; iru the Pictu fracture poi	lengths of proposed ca proposed work)  red Cliff formatible produce  r cement circ	rmation using ing somes. I	rotary atimate
It is intended to tools and to perfo Total Depth 2170*. Casing Program: 9 5/8" at 5 1/2" at	drill a well the crate and water  120' with 125 a 2170' with 75 a	w sizes, weights, and all other important; iru the Pictu Tracture poi	lengths of proposed ca proposed work)  red Cliff formible produce  remant circ	rmation using ing somes. I	rotary atimate
It is intended to tools and to perform Total Depth 2170°.  Casing Program: 9 5/8° st 5 1/2° at  The SE/4 of Section	drill a well the crate and water  120' with 125 a 2170' with 75 a	w sizes, weights, and all other important; iru the Pictu Tracture poi	lengths of proposed ca proposed work)  red Cliff formible produce  remant circ	rmation using ing somes. I	rotary atimate
It is intended to tools and to perfo Total Depth 2170*. Casing Program: 9 5/8* at 5 1/2* at	drill a well the crate and water  120' with 125 a 2170' with 75 a	w sizes, weights, and all other important; iru the Pictu Tracture poi	lengths of proposed ca proposed work)  red Cliff formible produce  remant circ	rmation using ing somes. I	rotary atimate
It is intended to tools and to perform Dupth 2170°. Casing Program: 9 5/8° st 5 1/2° at The SE/4 of Section	drill a well the crate and water  120' with 125 a 2170' with 75 a	w sizes, weights, and all other important; iru the Pictu Tracture poi	lengths of proposed ca proposed work)  red Cliff formible produce  remant circ	rmation using ing somes. I	rotary atimate
It is intended to tools and to perform Dupth 2170°.  Casing Program: 9 5/8° st 5 1/2° at  The SE/4 of Section	drill a well the crate and water  120' with 125 a 2170' with 75 a	w sizes, weights, and all other important; iru the Pictu Tracture poi	lengths of proposed ca proposed work)  red Cliff formible produce  remant circ	rmation using ing somes. I	rotary atimate
It is intended to tools and to perfo Total Depth 2170'. Casing Program: 9 5/8" at 5 1/2" at The SE/4 of Section (SE/4) EM 03380.	drill a well the crute and water  120' with 125 a 2170' with 75 a	w sizes, weights, and all other important; iru the Picture por fracture possesses regularised to this	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
It is intended to books and to perform to perform to perform the same of the section of the sect	oths to objective sands; showing points; and drill a small the crate and water  120' with 125 a 2170' with 75 a cm 19 is dedicate	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
It is intended to tools and to perform to pe	drill a well the crute and water  120' with 125 a 2170' with 75 a	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
It is intended to tools and to perform to perform to perform to perform to perform to the series of the series of sections (SE/4) and 03350.  I understand that this plan of the series is the series of the series	oths to objective sands; showing points; and drill a small the crate and water  120' with 125 a 2170' with 75 a cm 19 is dedicate	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
It is intended to books and to perform the SE/4 of Section (SE/4) and on pany El Pago Months perform to perform the performance of the perf	oths to objective sands; showing points; and drill a small the crate and water  120' with 125 a 2170' with 75 a cm 19 is dedicate	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
the SE/4 of Sections of Sections and the perfect of Sections of Se	oths to objective sands; showing points; and drill a small the create and water  120' with 125 a 2170' with 75 a cm 19 is dedicated by the control of work must receive approve the control of the contro	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
It is intended to books and to perform to perform the performance of the series of sections of the secti	oths to objective sands; showing points; and drill a small the crate and water  120' with 125 a 2170' with 75 a cm 19 is dedicate	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
tis intended to cols and to perfect the Depth 2170*.  Sesing Program: 9 5/8" at 5 1/2" at 5 1/2" at 1/	oths to objective sands; showing points; and drill a small the create and water  120' with 125 a 2170' with 75 a cm 19 is dedicated by the control of work must receive approve the control of the contro	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
it is intended to cools and to perfectly be to perfect the perfect of the perfect of the section	oths to objective sands; showing points; and drill a small the create and water  120' with 125 a 2170' with 75 a cm 19 is dedicated by the control of work must receive approve the control of the contro	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  ared Cliff formible produce  remaint circle community (1988)	restion using ing some. I substant to sus sacks Posmix.	rotary
It is intended to tools and to perform tools and to perform Total Depth 2170.  Casing Program: 9 5/8" at 5 1/2" at 5 1/2" at The SE/4 of Section (SE/4) Ex 93350.  I understand that this plan of company El Paso Hondard Market Section 1 and 1	oths to objective sands; showing points; and drill as small the create and water  120' with 125 a 2170' with 75 a 2170' with 7	w sizes, weights, and all other important; art the Picti fracture possible regularized to this talin writing by the calin writing	lengths of proposed caproposed work)  red Cliff for the product of	restion using ing some. I substant to sus sacks Posmix.	rotar

## NEW MEXICO OIL CONSERVATION COMMISSION

i w Elje

### WELL LOCATION AND DRIGAS PROPATION PLAT

							MAY	4, 1956
EL PA	SO NATUR	AL GAS COMPA	NY	FLORAN	CE "D"			NM 03380
<b>7</b>	<u> </u>	19_		· · · · <u></u>	27 <b>-N</b>		8.	<u>W</u>
900	<u>)                                    </u>	SOU	TH		1850	:* * * *		EAST
SAN	JUAN		*,** - ; * ; * ;					6087
· ·		PICTURED	CLIFF	SO.	BLANCO		. 1	160
	Nester	All instances	must to ir	or outer to	ut. 1 million	at constitut	1. 4.	(1882 PLAT)
					<del> </del>		, 19 <del>82</del>	-
	1	:		!				
				; ;				400 400
				· · · <del>  ·</del> · · · ·	1	t	•	<b></b>
					-			
			SECTION	1281111		111111		
			2					
		i '	3					
			3		NM 0338	0		NOTE.
					; 			This see than of
			3		1850	,		forms to be used. For ear wells only
		· · · · · · · · · · · · · · · · · · ·	{}	· `o  =	+			
			3	300	1	. ,		:
				*******			(.	ļ
		Sea	ier Entwiker	e e pare i n	.te		. `	<b>V</b>
us is to certify the	hat the abov	re plat was trep	and tron.		. I	. La this	well a D	nation of the
of notes of actin	al surveys m	ade tyre or u	Arr ma		i			N. 🏅
upercaston and that the same are true and correct to the			2	2. If the an over to Question 1 is yes, are there and other healty				
-cormic gnowled	ge and oet	· · ·					ter wells	
ate Surveyed MAY 2, 1956				dedicat	ent is measure	٠.		
	1//-	06				J. 1. 1.	·····	,
egistered Profess	nonal Engin	eer index Land	Surveyor	• •	:	Name _	Ju .	Bergo
					: : :	Positio	Pe Tole	and incer
						tions res	2 <b>.1</b> . )	Pago Hatural Cas
					i ;			7, Parminston, N.
					1	Adares	~ <u>* 77</u>	12 same revised Acres 18 (

Soul

Furnington, New Mexico