UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Sundry Notic	es and Reports on Fill	ill)	
l. Type of Well GAS	DEC 1 0 1996 OIL CON. D	5. 6. UVo 7.	Lease Number NM-011393 If Indian, All. or Tribe Name Unit Agreement Name
Name of Operator			
	GAS COMPANY	8.	
3. Address & Phone No. of Operato PO Box 4289, Farmington, NM		9.	Cleveland #4 API Well No. 30-045-06328
4. Location of Well, Footage, Sec 990'FSL, 1650'FWL, Sec.21, T-2			Field and Pool Fulcher Kutz Pict.Clif County and State San Juan Co, NM
Subsequent Report Final Abandonment		er Shut o	
It is intended to restimula in the following man	ate the Pictured Cliffs form	nation of	the subject well
hole logs. Run 3 1/3 with 145 sx Class "1 0.4% Halad-344, 3% 1	ing. Drill new open hole fr 2" casing to new total dept. B" 50/50 poz with 2% gel, 0 Kcl. Perforate, acidize and e. Clean out. Rerun tubing	h and ceme .3% CFR-3, foam frac	ent to surface 5 pps Gilsonite cture _c treat the
·	DECEIVE N DEC 1 0 1996		
	ON CON. D		
Signed My Statues	oregoing is true and correct (KKKPC) Title Regulatory-Ac		or_Date 12/4/96
(This space for Federal or State APPROVED BY	Office use)Title	Date _	
CONDITION OF APPROVAL, if any:		A	PROVED

DEC 0 6 1996
/S/Duane W. Spencer
DESTRICT MANAGER

Cleveland #4 Pertinent Data Sheet

Location: 990' FSL & 1650' FWL, Unit N, Section 21, T27N, R9W, San Juan County, New Mexico

<u>Latitude:</u> 36-33-21 <u>Longitude:</u> 107-47-47

Field: Fulcher Kutz PC Elevation: 6253' GL TD: 2176'

6263' KB **PBTD**: 2176'

Spud Date: 6/15/55 **Compl Date:** 8/20/55 **DP #:** 49322A

Lease: (Fed) NM 4511

Prop#: 012632900

Casing Record:

Hole Size	Csq Size	Wt. & Grade	Depth Set	<u>Cement</u>	Cement (Top)
e12-1/4"	8-5/8"	24# J-55	105'	80 sx.	Circ Cmt
e7-7/8"	5-1/2"	14# J-55	2110'	100 sx.	1521' @ 75% Eff.
e4-3/4"	ОН		2110'-2176'		

Tubing Record:

Tbg. Size	Wt. & Grade	Depth Set	# Joints
1"	1.7# Line Pipe	2171'	103

Formation Tops:

Ojo Alamo: 1145' Kirtland Shale: 1310' Fruitland: 1885' Pictured Cliffs: 2085'

Logging Record:

Stimulation: SOF w/ 7,800 gal oil & 11,000# sand

Workover History: None

Production History: 8/96 PC capacity: 14 MCF/D. 8/96 PC cum: 617 MMCF.

Pipeline: EPNG

Cleveland #4

Section 21N, T-27-N, R-9-W San Juan County, NM

FULCHER KUTZ PICTURED CLIFFS WELLBORE SCHEMATIC

