| Budget I | Bureau | No. | 42-R358.4 |
|----------|----------|-------|-----------------|
| Approva | l expire | s 12- | -31 -60. |

| For (F | eb. 19 | 881 a. 61) | |
|-----------|--------|---------------|------|
| | | | |
| İ | | | |
| | | | |
| | | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Land Office | Santa Fe |
|-------------|------------|
| Lease No. | 077952 - A |
| Unit | Gardon |

| | SUBSEQUENT REPORT OF WATER SHUT-OFF | X |
|--|---|--|
| TICE OF INTENTION TO DRILL. | SUBSEQUENT REPORT OF WATER SHOT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| TICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING ON ACCOUNTS | |
| TICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASHIC | |
| TICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING ON THE | |
| TICE OF INTENTION TO SHOOT OR ACIDIZE | SUPPLEMENTARY WELL HISTORY | |
| TICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTANT HELL MISTON | |
| TICE OF INTENTION TO ABANDON WELL | | |
| (INDICATE ABOVE BY CHECK MAR | K NATURE OF REPORT, NOTICE, OR OTHER DATA) | |
| (INDICATE TIESTED | December 29, 1930 | . 19 |
| ll No. 2-A is located 1090 ft. from | m. $\{S\}$ line and $\{S\}$ ft. from $\{E\}$ line of sec. | 51+ |
| (14 Sec. and Sec. No.) | Short Martin | |
| -mte Wildest San Ju | y or Subdivision) (State or Territory) | |
| Co. m. (-2 mounts (2005) | AILS OF WORK sizes, weights, and lengths of proposed casings; indicate mudding journers in the proposed work) | obs, cem |
| 12-19-60 Total Depth 7051. 12-19-60 Total Depth 7051. n 45 joints 5 1/2",17 # 1-80 casi 1/2" 15.5 # J-55 casing(5559) for t 0 7045'. Set two stage tementi ret stage with 307 sacks 50/50 Po 1. ft. Gilsointe/sk., 1/8 # Flocel th 75 sacks 50/50 Poznix containi | ng (1475) and 135 joints a total of 100 joints (7034) ng collar at 2550'. Cemented penix, containing 2 5 Gel, 1/4 le/sk. Cemented second stage | obs, ceme |
| 12-19-60 Total Depth 7051. n 45 joints 5 1/2",17 # H-80 casi 1/2" 15.5 # J-55 casing(5559) for t@ 7046". Set two stage tementi rst stage with 307 sacks 50/50 Po 1. ft. Gilsointe/sk., 1/8 # Flocel th 75 sacks 50/50 Poznix containi | sizes, weights, and lengths of proposed casings; indicate mudding is in the important proposed work) Ing (1475) and 135 joints a total of 180 joints (7034) Ing collar at 2550'. Cemented paints, containing 2 f Gel., 144 ing 8 f Gel. COM. | Salar Sa |
| 12-19-60 Total Depth 7051. n 45 joints 5 1/2",17 % H-80 casi 1/2" 15.5 % J-55 casing (5559) for t @ 7046". Set two stage tementi ret stage with 307 sacks 50/50 Po 1. ft. Gilsointe/sk., 1/8 % Flocel th 75 sacks 50/50 Poznix containi I understand that this plan of work must receive approva El Paso Matural Gas Compa | sizes, weights, and lengths of proposed casings; indicate mudding is a content proposed work) Ing (1475) and 135 joints a total of 180 joints (7034) Ing collar at 2550'. Cemented panix, containing 2 f Gel. 144 Le/sk. Cemented second stage ing 8 f Gel. | nmenced |
| 12-19-00 Total Depth 7051. n 15 joints 5 1/2",17 # 1-30 casi 1/2" 15.5 # J-55 casing(5559) for t 6 7045'. Set two stage tementi ret stage with 307 sacks 50/50 Po 1. ft. Gilsointe/sk., 1/8 # Flocel th 75 sacks 50/50 Posmix containi [understand that this plan of work must receive approva | sizes, weights, and lengths of proposed casings; indicate mudding is in the important proposed work) Ing (1475) and 135 joints a total of 180 joints (7034) Ing collar at 2550'. Cemented paints, containing 2 f Gel., 144 ing 8 f Gel. COM. | nmenced |



