

B. & R. SERVICE COMPANY

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY

WELL FLORENCE # 14-D

FIELD _____

COUNTY SAN JUAN

STATE NEW MEXICO

SEC. 24 TWP. 27

RGE. 8

APPROX. TOP CEMENT 4500'

Survey Begins at 3500 Ft. Ends at 4619 Ft.

Approx. Fill-Up _____ Max. Temp. 109° @ 4619'

Log Measured From RECTARY TABLE Run No. 1

Casing Size

Casing Depth

Diam of Hole

Depth

5½" from 4421' to 4761'

6½" from _____ to _____

from _____ to _____

from _____ to _____

Date of Cementing APRIL 19, 1958

Time 10:00 A.M.

Date of Survey APRIL 19, 1958

Time 8:00 P.M.

Amount of Cement 150 SACKS

Type PCZ MIX & NEAT

Amount of Admix 6% GEL


Type _____

Recorded by SCNNY WILSON


Witnessed by _____


REMARKS OR OTHER DATA

5½" LINER HUNG FROM 4421' TO 4761'



TEMPERATURE IN DEGREES FAHRENHEIT





B. & R. SERVICE COMPANY

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY
 WELL FLORENCE # 14-D FIELD
 COUNTY SAN JUAN STATE NEW MEXICO
 SEC. 21 TWP. 27 RGE. 8


APPROX. TOP CEMENT 1800'

Survey Begins at 1500 Ft. Ends at 2428 Ft.
 Approx. Fill-Up 83% Max. Temp. 88° @ 2428'
 Log Measured From ROTARY TABLE Run No. 1

Casing Size	Casing Depth	Diam of Hole	Depth
7 7/8" from <u>0</u>	to <u>4481'</u>	9 7/8" from <u> </u>	to <u> </u>
from <u> </u>	to <u> </u>	from <u> </u>	to <u> </u>

Date of Cementing APRIL 17, 1958 Time 12:15 A.M.
 Date of Survey APRIL 17, 1958 Time 12:00 NOON
 Amount of Cement 150 SACKS Type POZMIX
 Amount of Admix 2% GEL Type
 Recorded by MEL CAPPS Witnessed by ZUMWALT

REMARKS OR OTHER DATA
2 STAGE D.V. TOOL SET AT 2441'



TEMPERATURE IN DEGREES FAHR NHEIT

