

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Santa Fe**  
Lense No. **H. Max-020496**  
Unit **Yockey**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<b>Water free.</b> <b>X</b>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

1 September, 1958

Well No. **1** is located **1190** ft. from **[N]** line and **1190** ft. from **[E]** line of sec. **40**

**20** **27N** **11W** **N.M.P.M.**

( $\frac{1}{4}$  Sec. and Sec. No.) (Twp.) (Range) (Meridian)

**R. 10th P.C.** **San Juan** **New Mexico**

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4252** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**2005 ft Total Depth 1938 C.O. P.B. Total Depth 1892**

**Perf. 1878 to 1892 Water free. with 900 bbls water and 35,000 lbs sand. Breakdown pressure 2500 lbs max pressure 2700 lbs average treating pressure 1750 lbs. Injection rate 36 bbls per min. Flush 2500 gals.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Frank Yockey**

Address **Box 2055**

**Farmington, New Mexico**

By \_\_\_\_\_

Title **Owner**

