Form 9-331a (Feb. 1951)							
	1						

(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR** GEOLOGICAL SURVEY

Land Office	nta Fe
Lease No. 77	7.41-19
Unit D	After 1

JAN 2 6 1953

U. S. GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL	
I MOTION OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK N	MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	<u> </u>
Well No. 2A is located 1350 ft. f.	from $\{S\}$ line and $\{S\}$ ft. from $\{W\}$ line of sec. $\{S\}$ $\{S\}$ (Meridian)
· -	
Ful her sutz (Field) (Cot	anty or Subdivision) (State or Territory)
The elevation of the derrick floor above sea	a level is 5969 ft.
	TAILS OF WORK
State names of and expected depths to objective sands; sho ing points, and	ow sizes, weights,'and lengths of proposed casings; indicate mudding jobs, cement- i all other important proposed work)
formation, completing the well wit	th rotary tools to the top of the Pictured Cliffs th cable tools, and to shoot the pay section with
two quarts S.N.C. per foot. Total	L Depth 1739'.
two quarts S.N.C. per foot. Total	k Dopth 1739'.
Casing Program:	5 sacks regular cement circulated to surface.
Gasing Program: 3.5/3 at 100' with 75 5 at 1682' with 150	5 sacks regular cement circulated to surface.
Casing Program: 3-5/3 et 100' with 75 5 at 1682' with 150 The SW of Section 20	5 sacks regular cement circulated to surface. sacks regular cement.
Casing Program: 5.5/5 at 100' with 75 5 at 1682' with 150 The SW of Section 20 I understand that this plan of work must receive approximately	5 sacks regular cement circulated to surface. sacks regular cement. is dedicated to this well. valin writing by the Geological Survey before operations may be commenced.
3.5/3 at 100' with 75 at 1682' with 150 The SW of Section 20	5 sacks regular cement circulated to surface. sacks regular cement. is dedicated to this well. valin writing by the Geological Survey before operations may be commenced.
Casing Program: 3-5/5 et 100' with 75 5 at 1682' with 150 The 5W of Section 20 I understand that this plan of work must receive approx Company EL 1420 MATRAL GAS COM	5 sacks regular cement circulated to surface. sacks regular cement. is dedicated to this well. valin writing by the Geological Survey before operations may be commenced.

U. S. GOVERNMENT PRINTING OFFICE 16-8437-4

€ et			
	 	-	_ ı