

X		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SF 080168-A
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 20, 1961

H. O. Watson
Well No. 2 is located 1850 ft. from N line and 790 ft. from W line of sec. 22
NW/4 Sec. 22 27 N 12 W R.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Basin Dakota San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground level above sea level is 5828 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Running and cementing production casing as follows:

Ran 190 joints of 4-1/2", 11.6#, J-55 casing and set at 6040'. Stage collar set at 1716' and cemented in two stages. First stage: cemented with 150 sx 1:1 Diamix 6% gel and 50 sx 1:1 Diamix with 2% gel. Second stage: cemented with 50 sx 1:1 Diamix with 6% gel. WOC 24 hours. Pressure tested casing to 3000 pounds. Casing failed. Ran sonic cement bond log. Perforated 6015-16 with 4 jets per foot. Squeezed with 85 sx cement. WOC 24 hours. Pressure tested casing to 3000 pounds for 30 minutes. Pressure held o.k.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tenneco Oil Company
Address P. O. Box 1714
Durango, Colorado

By L. B. Flumb L. B. Flumb
Title District Production Superintendent