Budget	Bureau	42-R358.2
Approv	al expire	es 12-31-52

(SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Fe
Lease No.	077941-A
Unit	Rowley

	NOTICES AND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	
NOTICE OF INTENTION TO CHANGE PL	
NOTICE OF INTENTION TO TEST WATE	
NOTICE OF INTENTION TO RE-DRILL	
NOTICE OF INTENTION TO SHOOT OR	
NOTICE OF INTENTION TO PULL OR A	,
NOTICE OF INTENTION TO ABANDON	WELL.
(INDICA	ATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	December 23 , 19.52
Well No <b>1_A</b> is locat	ted $90$ ft. from $\binom{N}{S}$ line and $90$ ft. from $\binom{R}{W}$ line of sec. $20$
NW NV Section (20 (4 Sec. and Sec. No.)	(Twp.) (Range) (Meridian)
Fulcher-Kutz (Field)	Nov Movico
The elevation of the derrick	k floor above sea level is 6011 ft.
The elevation of the deriver	DETAILS OF WORK
(State names of and expected depths t	to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- ing points, and all other important proposed work)
(5000)	ing points, and all other important proposed work,
	ll a well with rotary tools through the Sictured Cliffs Formati section with two quarts S.K.G. per foot, and to clean out same
It is intended to drill and to shoot the pay with cable tools. Total Depth 1842'.  Casing Progress:	Il a well with rotary tools through the Pictured Cliffs Formatisection with two quarts S.N.G. per foot, and to clean out same
It is intended to drill and to shoot the pay with cable tools.  Total Depth 1342'.  Casing Frogren:	13 a small with motory tools through the Pictured Cliffs Formati
It is intended to drill and to shoot the pay with cable tools.  Total Depth 1342'.  Casing Progress:  3-5/3 at 100' with the same state of	Il a well with rotary tools through the Sictured Cliffs Formatisection with two quarts S.N.G. per foot, and to clean out same ith 75 macks regular cement circulated to surface.
It is intended to drill and to shoot the pay with cable tools.  Total Depth 1842'.  Casing Program:  3-5/8 at 100' with the pay is at 1746' with the pay is depth 1842'.	Il a well with rotary tools through the Pictured Cliffs Formatisection with two quarts S.N.G. per foot, and to clean out same the 75 sacks regular cement circulated to surface.  The 150 sacks regular cement.  The 150 sacks regular cement.  The 150 sacks regular cement.
It is intended to drill and to shoot the pay with cable tools.  Total Depth 1842'.  Casing Frogress:  3-5/8 at 100' with the short of Section o	Il a well with rotary tools through the Pictured Cliffs Formatisection with two quarts S.N.G. per foot, and to clean out same ith 75 sacks regular cement circulated to surface.  In 150 sacks regular cement.  Ion 20 is dedicated to this well.  ork must receive approval in writing by the Geological Survey before operations may be commenced.  NATURAL CAS COMPANY
It is intended to drill and to shoot the pay with cable tools.  Total Depth 1842'.  Casing Frogress:  3-5/8 at 100' with the short of Section o	ll a well with rotary tools through the Pictured Cliffs Formatisection with two quarts S.N.G. per foot, and to clean out same ith 75 sacks regular cement circulated to surface. The 150 sacks regular cement.  ion 20 is dedicated to this well.  ork must receive approval in writing by the Geological Survey before operations may be commenced.  NATURAL CAS COMPANY