(SUBMIT IN TRIPLICATE)

x

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land	Office Santa Fe
Loase	No. 87 080168
Unit .	

SUNDRY NOTICES AND REPORTS ON WELLS

			SURSFOUEN	IT REPORT OF WATER S	*****	اسدا
NOTICE OF ""	ITENTION TO CHANGE P			IT REPORT OF SHOOTIN		[X .]
	ITENTION TO TEST WAT		SUBSEQUEN	IT REPORT OF ALTERIN		
	TENTION TO RE-DRILL			T REPORT OF RE-DRILL		
	TENTION TO SHOOT OR		SUBSECUEN	T REPORT OF ABANDON	MENT	תוח לו כחיים
NOTICE OF IN	TENTION TO PULL OR A	ALTER CASING		TARY WELL HISTORY		···柳硅-扑 -₩
NOTICE OF INT	TENTION TO ABANDON	WELL				
	(INDICA:	TE ABOVE BY CHECK M	ARK NATURE OF REPOR	RT, NOTICE, OR OTHER D	ATA)	14 14 19
					U. S. C	HOLOGICAL SU
н. о	. Watson Gas	Unit "A"	(3.1)		July 12	
Vell No	is locate	ed 790 ft. fr	om_{-} line and	d 990 ft. from	$\left\{\begin{array}{c} \mathbf{w} \\ \mathbf{w} \end{array}\right\}$ line of se	ec. 21
	Sec. 21 and Sec. No.)	27N	(Range)			
In esi	n Debote		,	(Meridian)		
(P	Ground	(Coun	y of Subdivision)	(s	ate of Territory)	
he elevatior	n of the decide	Above sea	level is ###	£.		
		above sea	1cvci 1231001.	rt.		
		DET	AILS OF WOR	K		
tate names of ar	nd expected depths to o	bjective sands; show	sizes, weights, and len	gths of proposed casine	estudioses to	
				posed work)	reste mudding)obs, cement-
8 Jointa	ated surface ((249') 8 5/8	" on old re	E anadmud	ant on 662 t	*************	
8 joints	(249') 8 5/8 (249') 8 5/8 r communt, 25 (22. WGC 12 hr	" OD 24# 3-5 CaC12. Cian	5 ceaing and			
8 joints s regular ., 6-10-6	(249') 8 5/8 rommant, 25 (22. WGC 12 h	" OD Sif J-5 CaCl2. Cire rs. Pressur	5 casing and ilated compat tosted casi	ne to 700f fo	Plug down ar 30 minute	at 4:25 •• Reld
8 joints s regular ., 6-10-6	(249') 8 5/8 rommant, 25 (22. WGC 12 h	" OD Sif J-5 CaCl2. Cire rs. Pressur	5 casing and ilated compat tosted casi	be to 700 f	Plug down at 30 minute	at 4:25 •• Reld
8 joints s regular i., 6-10-6	(249') 8 5/8	" OD Sie J-5 CaCl2. Circ Fs. Procesur	5 casing and ilated compat tosted casi	be to 700 f	Plug down at 30 minute	at 4:25 •• Reld
8 joints s regular l., 6-10-6	(249°) 8 5/8 r commut, 25 (22. WCC 12 in	" OD Sief J5 CaCl2. Circ rs. Procesur ust receive approval i	5 casing and ilated compat tosted casi	be to 700 f	Plug down ar 30 minute	at 4:25 •• Reld
6 joints 8 regular 1., 6-10-6	(249°) 8 5/8 roumant, 25 (249°) 8 5/8 roumant, 25 (249°) 8 5/8 roumant, 25 (25°) 12 km at this plan of work m	" OD Sief J-5 CaCl2. Circ rs. Proscur ust receive approval i	5 casing and ilated compat tosted casi	be to 700 f	Plug down at 30 minute	at 4:25 •• Reld
6 joints 8 regular 1 understand th	(2k9') 8 5/8 r coment, 25 (2. WCC 12 in the plan of work m Tenneco C	" OD Sief J-5 CaCl2. Circ rs. Proscur ust receive approval i	5 casing and ilated coments tosted casi	be to 700 f	Plug down 30 minute [VED] 191962 con. 3 con. 3	et 4:25 - Held