Denny G. Foust
DEPUTY OIL & GAS INSPECTOR
DEC 2 9 1997
Approved

Meter Number:74872
Location Name:FLORANCE D LS #15
Location:TN-27 RG-08
SC-17 UL-P
2 - Federal
NMOCD Zone:OUTSIDE
Hazard Ranking Score:00

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	10^{-9} to 10^{-13} cm/sec
Shale	10^{-12} to 10^{-16} cm/sec
Clay	10^{-12} to 10^{-15} cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

FIELD PIT REMEDIATION/CLOSURE FORM

EPFS EL PASO FIELD SERVICES

GENERAL

Meter: 74872 Location: Florance D LS #15

Coordinates: Letter: P Section 17 Township: 27 Range: 8

Or Latitude _____ Longitude _____

Date Started : 9-27-94 Run: 07 21

FIELD OBSERVATIONS

Sample Number(s): VW346 _____ _____ _____

Sample Depth: 5' Feet

Final PID Reading 221 PID Reading Depth 5' Feet

	Yes	No
Groundwater Encountered	☐	☒

Approximate Depth _____ Feet

CLOSURE

Remediation Method :

Excavation ☐ Approx. Cubic Yards _____

Onsite Bioremediation ☐

Backfill Pit Without Excavation ☒

Soil Disposition:

Envirotech ☐ ☐ Tierra

Other Facility ☐ Name: _____

Pit Closure Date: 9-27-94 Pit Closed By: BET

REMARKS

Remarks : 5' Sandstone

Signature of Specialist: Vale Wilsey

(SP3191) 03/16/94

Natural Gas Company

FIELD SERVICES LABORATORY
ANALYTICAL REPORT
PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

SAMPLE IDENTIFICATION

	Field ID	Lab ID
SAMPLE NUMBER:	VW 3/4	946234
MTR CODE | SITE NAME:	74872	N/A
SAMPLE DATE | TIME (Hrs):	9-27-94	1400
SAMPLED BY:	N/A	
DATE OF TPH EXT. | ANAL.:	9-29-94	9-29-94
DATE OF BTEX EXT. | ANAL.:	N/A	N/A
TYPE | DESCRIPTION:	VG	Grey Course Sand

REMARKS: _____

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
TPH (418.1)	2460	MG/KG			2.03	28
HEADSPACE PID	221	PPM				
PERCENT SOLIDS	94.5	%				

-- TPH is by EPA Method 418.1 --

Narrative: _____

DF = Dilution Factor Used

Approved By: _____ Date: 10/6/94

****
Test Method for
Oil and Grease and Petroleum Hydrocarbons
in Water and Soil

Perkin-Elmer Model 1600 FT-IR
Analysis Report
****

?4/09/29 11:24

Sample identification
?46234

Initial mass of sample, g
?.030

Volume of sample after extraction, ml
?8.000

Petroleum hydrocarbons, ppm
?457.779
Net absorbance of hydrocarbons (2930 cm-1)
?.?4



ILLEGIBLE

FIELD PIT SITE ASSESSMENT FORM

GENERAL

Meter: 74872 Location: FLORANCE D LS #1S

Operator #: 0203 Operator Name: Amoco P/L District: BALLARD

Coordinates: Letter: P Section 17 Township: 27 Range: 8

Or Latitude _____ Longitude _____

Pit Type: Dehydrator ___ Location Drip: X Line Drip: ___ Other: _____

Site Assessment Date: 6·14·94 Area: 07 Run: 21

SITE ASSESSMENT

NMOCD Zone: (From NMOCD Maps)

Inside ☐ (1)

Outside ☒ (2)

Land Type:

BLM ☒ (1)

State ☐ (2)

Fee ☐ (3)

Indian _____

Depth to Groundwater

Less Than 50 Feet (20 points) ☐ (1)

50 Ft to 99 Ft (10 points) ☐ (2)

Greater Than 100 Ft (0 points) ☒ (3)

Wellhead Protection Area :

Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? ☐ (1) YES (20 points) ☒ (2) NO (0 points)

Horizontal Distance to Surface Water Body

Less Than 200 Ft (20 points) ☐ (1)

200 Ft to 1000 Ft (10 points) ☐ (2)

Greater Than 1000 Ft (0 points) ☒ (3)

Name of Surface Water Body _____

(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)

Distance to Nearest Ephemeral Stream ☐ (1) < 100'(Navajo Pits Only)

☐ (2) > 100'

TOTAL HAZARD RANKING SCORE: 0 **POINTS**

REMARKS

Remarks : ONLY PIT ON LOCATION. PIT IS DRY. LOCATION IS ON A MESA ON HOLLIS PASS. REDLINE SHOWS LOCATION INSIDE U.Z. BUT TOPO SHOWS LOCATION IS OUTSIDE U.Z.

ORIGINAL PIT LOCATION

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 246° Footage from Wellhead 109'

b) Length : 15' Width : 14' Depth : 1'



REMARKS

Remarks :

TOOK PICTURES AT 12:50 P.M.

END DUMP

Completed By:

Robert Thompson
Signature

6.14.94
Date