



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office New Mexico
Lease No. 03380
Unit Florencia

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

Water Free.

RECEIVED

APR 17 1958

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
WASHINGTON, NEW MEXICO
APR 11 1958

Well No. 9-D is located 1000 ft. from S line and 1000 ft. from W line of sec. 17

SW Sec. 17
($\frac{1}{4}$ Sec. and Sec. No.)

27N
(Twp.)

8W
(Range)

N.M.P.M.
(Meridian)

Blanco H.V. 280-Blanco P.C.
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6002 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

4-8-58, Total Depth 4932'. COTD 5387'. Water fractured Point Lookout perforated intervals 5146-54; 5168-77 (2 SFF); 5177-82 (4 SFF); 5190-5200; 5208-28; 5235-46; 5276-86; 5298-5306 (2 SFF) with 63,160 gallons water and 65,000# sand. BDP 1300#, max. pr. 3300#, avg. tr. pr. 1400, 1800, 2500, 3000, 2600, 1200#. I.R. 44.3 BPM. Flush 10,000 gallons. Injected 8 sets balls (16 balls/set).

4-8-58, Total Depth 4932'. Temporary Bridge Plug at 5110'. Water fractured Pictured Cliffs perforated intervals 2888-90; 2896-2904 (4 SFF); 2910-22 (2 SFF) with 52,500 gallons water and 45,000# sand. BDP 1800#, max. pr. 3000#, avg. tr. pr. 1200, 1600, 1900, 1300#. I.R. 52 BPM. Flush 8400 gallons. Injected 4 sets balls (15 balls/set).

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address Box 997

Farmington, New Mexico

By Original Signed D. C. Johnston

Title Petroleum Engineer