

1-7

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

PERMIT IN TRIPLICATE
(Fill in instructions on the
reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

This form is to be filled out by the person in charge of the well, or by a different person, if the well is not being operated by the person in charge of the well.

NAME OF OPERATOR
X

Peta Development Co.

224 Petroleum Club Plaza, Fortington, New Mexico

1140/S 700/W

IS OPERATING (Name whether or, or, or, etc.)

620-2

Check Appropriate Box To Indicate Nature of Notice, Report, or Other

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	DRILL OR ALTER CASING
EXHAUSTIVE TEST	MULTIPLE COMPLETS
SHUT-IN OR ABANDON	ABANDON*
REPAIR WELL	CHANGE PLANS
(Other)	

WATER SHUT-OFF
PLACED IN OPERATION
REPAIRING OR ABANDONING
(Other)

(Note: Report results
Completion or Abandonment)

1. Describe in brief the proposed work. If well is directionally drilled, give subsurface location and measured and true vertical depth to this work.*

Repair casing leaks w/packer and Kam-Pac chemicals, as follows:

Rig up workover rig, circulate out mud, sand and shale to 100 feet. Circulate until hole is clean. PCH. Run Baker Model "D" production packer on wire line. Set packer just below Greenhorn section w/bump out plug to keep any water or Kam-Pac chemical from getting below packer. OTH w/thg., Model "D" locator and tail pipe. Set Kam-Pac above Model "D", set tail pipe down on bump out plug, run tail pipe through Model "D" and land locator seals in packer. Flange up well head, sub well if necessary.

I hereby certify that the foregoing is true and correct

SIGNED **JOHN T. HARRISON**

TITLE


Manager

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

21, 1966



RECEIVED

DEC 23 1966

OIL CON. COM.
DIST. 3

RECEIVED

DEC 23 1938

OFF COO JO
DIST 3