

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Bureau Form No. 1004-0103
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER Coalbed Methane	5. LEASE DESIGNATION AND SERIAL NO. SF-077382
2. NAME OF OPERATOR McKenzie Methane Corporation	6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
3. ADDRESS OF OPERATOR 1911 Main Ave., #255, Durango, Colorado 81301	7. UNIT AGREEMENT NAME N/A
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1015' FNL, 800' FEL	8. FARM OR LEASE NAME Angel Peak 16 A
14. PERMIT NO. API 30-045-28450	9. WELL NO. #19
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6093' GR	10. FIELD AND POOL, OR WILDCAT Basin FT Coal
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec16-T27N-R10W
	12. COUNTY OR PARISH San Juan
	13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐	PULL OR ALTER CASING ☐
FRACTURE TREAT ☐	MULTIPLE COMPLETE ☐
SHOOT OR ACIDIZE ☐	ABANDON* ☐
REPAIR WELL ☐	CHANGE PLANS ☐
(Other) ☐	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐	REPAIRING WELL ☐
FRACTURE TREATMENT ☐	ALTERING CASING ☐
SHOOTING OR ACIDIZING ☐	ABANDONMENT* ☐
(Other) <u>Drilling Rept.</u>	☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

RECEIVED
MARCH 4 1991
OIL CON. DIV.
DIST. 3

SEE ATTACHED

18. I hereby certify that the foregoing is true and correct

SIGNED R. Sagle / C.S. TITLE Operations Manager DATE 1-16-91

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ ACCEPTED FOR RECORD
CONDITIONS OF APPROVAL, IF ANY: _____

FEB 12 1991

*See Instructions on Reverse Side

FARMINGTON RESOURCE AREA

BY MT

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

MCKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office

12-1-90 Angel Peak 16 A #19
NE/Sec16-T27N-R10W, San Juan Co., NM
AART: Waiting on drlg rig. DEPTH: 24'
DAILY: Build location. MIRU spud unit. **Spud 12-1/4"**
hole @ 1:00 PM 11/30/90. Drill to 24'. RDMO spud
unit. MUD: air. Surveys: N/A

12-20-90 Angel Peak 16 A #19
NE/Sec16-T27N-R10W, San Juan Co., NM
AART: Drill to TD. DEPTH: 130'
DAILY: MIRU Burge Drilling. Drill 12-1/4" hole to 130'.
SDON. MUD: air Surveys: N/A

12-21-90 Angel Peak 16 A #19
NE/Sec16-T27N-R10W, San Juan Co., NM
AART: Drill 12-1/4" hole to surf csg.pt. DEPTH: 130'
DAILY: SD for rig repair.
MUD: N/A Surveys: N/A

12-22-90 Angel Peak 16 A #19
NE/Sec16-T27N-R10W, San Juan Co., NM
AART: Drill to surf csg pt. DEPTH: 200'
DAILY: Drill to 200' & SD for rig repair.
MUD: Air/foam Surveys: N/A

12-23-90 Angel Peak 16 A #19
NE/Sec16-T27N-R10W, San Juan Co., NM
AART: Waiting on drlg rig. DEPTH: 250'
DAILY: Drill 12-1/4" hole to 250'. TOOH. R/U & run 6
jts. (257'), 8-5/8", 24#, J55 STC csg set @ 244 GL
(256' KB). Cmt w/ 200 sx (236 cu ft) Class B, 2% CaCl,
& 1/4#/sx celloseal. PD@ 3:00 PM 12/22/90. Circ 7 bbl
cmt to surf. WOC. RDMO Burge.
MUD: Air/foam. Surveys: N/A

-cont.-

MCKENZIE METHANE CORPORATION
DAILY DRILLING REPORT
Durango Office

1-13-91 Angel Peak 16 A #19
NE/Sec16-T27N-R10W, San Juan Co., NM
AART: Rig repair DEPTH:
DAILY: MIRU. Csg ram on rig failed. Rig SD for repair.
DAILY COST: N/C

1-14-91 Angel Peak 16 A #19
NE/4 Sec16-T27N-R10W, San Juan Co., NM
AART: Drlg DEPTH: 1535'
DAILY: Finish rigging up 4 States Drlg Co. rig #1. NU
BOP. PT blind rams & surf csg. to 1000 Psig for 30 min
(no leaks). TIH. Drlg out under surf. 250'-1535'.
Taking 500' surveys. MUD: water Surveys: 790'-
1, 1323' -1-1/4'.

1-15-91 Angel Peak 16 A #19
NE/4 Sec16-T27N-R10W, San Juan Co., NM
AART: Waiting on completion DEPTH: 2015'
DAILY: Drlg 1535' - 2015'. TD well @ 2015 @ 3:00 PM
1-14-91. Circ & cond hole. TOH. RU Halliburton & ran
openhole logs. RD Halliburton. TIH. LDDP & DC. RU
PTI Casers & ran 49 jts of 4-1/2, 11.6#, K55 LTC csg
set @ 2014 KB. Float collar @ 1971.25 KB. RD Casers &
RU Dowell. Cmt w/ 250 sx 65/35 POZ + 6% gel + 1/4#/sx
Flocele for lead & 125 sx 50/50 POZ + 2% gel + 1/4#/sx
Flocele, preceeded by 20 bbls of mud flush. PD &
holding @ 6:50 AM 1-15-91. Circ 9 bbls of cmt to surf.
RR @ 6:50 AM 1-15-91. First log on bottom @ 7:45 PM
1-14-91. MW: 8.9 Vis: 40 Surveys: 1817' -
1-1/4, 2015' - 1.