Form 9-331 a (Feb. 1951)				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	باندن	ře
Lease No	Officia	i-11
Unit	Alleu	Bolsek

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	· • • • • • • • • • • • • • • • • • • •
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Veter Fret.
(INDICATE ABOVE BY CHECK M	ARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
(MOICE 12 ABOVE BY GYRON MI	
	, 19_ <u>62</u>
Vell No. 14(OHWO is located 1550 ft. fr	om. $\{S\}$ line and $\{S\}$ line of sec.
(K Sec. and Sec. No.) (Twp.)	
(Field) (Coun	nty or Subdivision) (State or Territory)
he elevation of the derrick floor above sea	level is 62% ft.
	CAILS OF WORK
	v sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement- all other important proposed work)
3-2-60 Total depth 2000'. C.O.T orf. int. (2 DJ/ft) at 1972-82; L and. ED pr. 1100; max. pr. 1900 lugh 7000 gallons. Dropped 1 set	.D. 2070'. Water fractured fictured Cliffs 997-2006' v/25,960 Esilons water and 25,000¢ g, avg. tr. pr. 1200-1500-1650¢. I.E. 30 MM. of 10 balls, 2 sets of 5 balls, 1 set of 3 bal
3-2-60 Total depth 2000'. C.O.T orf. int. (2 DJ/ft) at 1972-62; L and. ED pr. 1100; max. pr. 1900 Tugh 7000 gellong. Dropped 1 set	.D. 2070'. Water fractured fictured Cliffs 997-2006' v/25,960 Esilons water and 25,000¢ g, avg. tr. pr. 1200-1500-1650¢. I.E. 30 MM. of 10 balls, 2 sets of 5 balls, 1 set of 3 bal
3-2-60 Total depth 2000'. C.O.T orf. int. (2 DJ/ft) at 1972-62; L and. ED pr. 1100; max. pr. 1900 Tugh 7000 gellong. Dropped 1 set	.B. 2070'. Water fractured fictured Cliffs 997-2006' v/25,960 gallons water and 25,000¢ 2, avg. tr. pr. 1200-1500-1650¢. I.E. 30 MM. of 10 balls, 2 sets of 5 balls, 1 set of 3 ball A on perforations absed of frac. MAR1 I 1960 OIL CON. COM.
3-2-60 Total depth 2000'. C.O.T orf. int. (2 DJ/ft) at 1972-82; in end. ED pr. 1100; max. pr. 1900; lush 7000 gellons. Dropped 1 set or 5 stages. Spotted 200 gel. MC.	.D. 2070'. Water fractured fictured Cliffs 997-2006' v/25,960 gallons water and 25,000; a, avg. tr. pr. 1200-1500-1650g. I.A. 30 MM. of 10 palls, 2 sets of 5 balls, 1 set of 3 bal A on perforations ahead of frac.
3-2-60 Total depth 2000'. C.O.T orf. int. (2 DJ/ft) at 1972-62; Lisna. ED pr. 1100g, max. pr. 1900 Tush 7000 gallons. Dropped 1 set or 5 stages. Spotted 200 gal. Mc. I understand that this plan of work must receive approve	.B. 2070'. Water fractured rictured Cliffs 997-2006' v/25,960 gallons water and 25,000; a, avg. tr. pr. 1200-1500-1650g. I.E. 30 Min. of 10 balls, 2 sets of 5 balls, 1 set of 3 bal A on perforations ahead of frac. MAR 1 I 1960 OLST. 3 alin writing by the Geological Survey before operations may be commenced.
3-2-60 Total depth 2000'. C.O.T erf. int. (2 DJ/ft) at 1972-62; Listid. BD pr. 1100; mex. pr. 1900 Tush 7000 gellons. Dropped 1 set for 5 stages. Spotted 200 gel. MC.	.B. 2070'. Water fractured rictured Cliffs 997-2006' v/25,960 gallons water and 25,000; a, avg. tr. pr. 1200-1500-1650g. I.H. 30 MM. of 10 balls, 2 sets of 5 balls, 1 set of 3 balls on perforations absed of frac. MARI I 1960 OLICON. COM. DIST. 3 alin writing by the Geological Survey before operations may be commended.
3-2-60 Total depth 2000'. C.O.T orf. int. (2 DJ/ft) at 1972-62; Lisna. ED pr. 1100; max. pr. 1900; lush 7000 gellons. Dropped 1 set or 5 stages. Spotted 200 gel. Mc. I understand that this plan of work must receive approve company El Paso Natural Gas Compa	.B. 2070'. Water fractured rictured Cliffs 997-2006' v/25,960 gallons water and 25,000; a, avg. tr. pr. 1200-1500-1650g. I.R. 30 MM. of 10 balls, 2 sets of 5 balls, 1 set of 3 ball A on perforations absed of frac. MAR 1 I 1960 OLST. 3 alin writing by the Geological Survey before operations may be commenced.