

(SUBMIT IN TRIPLICATE)

Lead Office Santa Fe

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lease No. 075115

Allen H. Taskin

SEP 21 1950

U. S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

RECEIVED

AUG 28 1950

U. S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	☒	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

9-18, 1950

Well No. 2 is located 1650 ft. from [M] line and 970 ft. from [E] line of sec. 13

SE 1/4 of NE 1/4 Sect 13 27N 12W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)


West Kutz Canyon San Juan Co. New Mexico New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plan to drill with cable tools. Cement surface string of 15" casing to surface from approx. 35 Ft. Mud 13" at approx. 400 Ft. and 10" casing at approx. 700 Ft. Mud 8 1/2" casing at approx. 1500 Ft. and cement 7" at approx. 1700 Ft. with not less than 50 sacks of cement. Expect to bottom the hole at about 1900 Ft.



I understand that this plan of work must receive approval in writing, by the Geological Survey before operations may be commenced.

Company Mac T. Anderson

Address P.O. Box 122 613

Hatch, Colorado

Hatch, N. M.

By Mac T. Anderson

Title Owner


Company Mac T. Anderson.

Lease _____ Well No. 2.

Sec. 13. T. 27. N., R. 12. W., N.M.P.M.

Location 1650' North & 990' East of SE Cor. Sec. 13.

Being in SW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ section 13-T27N-R12W.
San Juan County New Mexico



Scale--4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

H. H. Miller
Registered Professional
Engineer and Land Surveyor.

Farmington, New Mexico

Surveyed August 24, 1950.




Company

Lease

Sec. 100.

Location



Scale 4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Professional
Engineer and Land Surveyor.

Farmington, New Mexico

Surveyed _____, 19____