

Form 3160-5  
(June 1990)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir;  
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

SF 079115

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

## SUBMIT IN TRIPLICATE

## 1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other P&A

## 2. Name of Operator

Dugan Production Corp.

## 3. Address and Telephone No.

P.O. Box 420, Farmington, NM 87499 (505) 325-1821

## 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 1972' FWL (NE/4 SW/4)  
Unit K, Sec. 13, T27N, R12W, NMPM

## 8. Well Name and No.

Tonkin #1

## 9. API Well No.

30 045 06510

## 10. Field and Pool, or Exploratory Area

West Kutz PC

## 11. County or Parish, State

San Juan County, NM

## 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

- ☐
- Notice of Intent
- 
- ☒
- Subsequent Report
- 
- ☐
- Final Abandonment Notice

## TYPE OF ACTION

- ☒
- Abandonment
- 
- ☐
- Recompletion
- 
- ☐
- Plugging Back
- 
- ☐
- Casing Repair
- 
- ☐
- Altering Casing
- 
- ☐
- Other

- ☐
- Change of Plans
- 
- ☐
- New Construction
- 
- ☐
- Non-Routine Fracturing
- 
- ☐
- Water Shut-Off
- 
- ☐
- Conversion to Injection
- 
- ☐
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

## 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Plugged Pictured Cliffs well as follows:

1. Run 7" cast iron bridge plug and set @ 1590'.
2. Spot 12 cu. ft. class "B" cement on top of bridge plug. Pictured Cliffs plug 1540' - 1590'.
3. Perforate 7" casing @ 1400'.
4. Spot 78 cu. ft. Class B cement with 4% gel @ 1400'. Displace cement to 1200'. Fruitland Plug 1200' - 1400'.
5. Perforate 7" casing @ 650'.
6. Spot 147 cu. ft. Class B cement w/4% gel @ 662'. Displace cement to 420'. Ojo Alamo plug 420' - 662'.
7. Perforate 7" casing @ 85'.
8. Fill 7" casing and circulate cement back to surface with 248 cu. ft. Class B cement w/4% gel + 77 cu. ft. class "B" neat.

Plugged Tonkin Water Well as follows:

(Procedure changed with concurrence of Wayne Townsend - BLM)

9. Ran 2-3/8" tubing and tag @ 337'. Fill wellbore with 434 cu. ft. Class B cement with 4% gel.

Job complete 2/8/95.

## 14. I hereby certify that the foregoing is true and correct

Signed John Alexander  
(This space for Federal or State office use)Title Operations ManagerDate 2/10/95Approved by \_\_\_\_\_  
Conditions of approval, if any:

Title \_\_\_\_\_

APPROVED

FEB 15 1995

DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side