

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

- 1. Type of Well
GAS
- 2. Name of Operator
BURLINGTON RESOURCES
OIL & GAS COMPANY
- 3. Address & Phone No. of Operator
PO Box 4289, Farmington, NM 87499 (505) 326-9700
- 4. Location of Well, Footage, Sec., T, R, M
1650' FNL 990' FWL, Sec.17, T-27-N, R-9-W, NMPM
- 5. Lease Number
NM-02294
- 6. If Indian, All. or Tribe Name
- 7. Unit Agreement Name
- 8. Well Name & Number
Whitley #1
- 9. API Well No.
30-045-06531
- 10. Field and Pool
Fulcher Kutz P.C.
- 11. County and State
San Juan Co, NM

RECEIVED
AUG 13 1998
OIL CON. DIV.
DSEL 8

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission	Type of Action	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other - Restimulate	

13. Describe Proposed or Completed Operations

It is intended to restimulate the Pictured Cliffs formation of the subject well in the following manner:

Move in rig up. Pull 1" tubing. Clean out the plug back total depth at 2410'. Acidize and foam fracture treat the Pictured Cliffs formation. Clean out and return well to production.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (MDWPC) Title Regulatory Administrator Date 8/4/98

(This space for Federal or State Office use)

APPROVED BY /s/ Duane W. Spencer Title _____ Date AUG 11 1998

CONDITION OF APPROVAL, if any:

Whitley # 1
Pertinent Data Sheet

API #: 300450653100

Location: 1650 ' FNL & 990 ' FWL, Unit E, Section 17, T27N, R09W, San Juan County, New Mexico

Latitude: 36 ° - 34.64 ' **Longitude:** 107 ° - 48.99 '

Field: Fulcher Kutz PC

Elevation: 6,383 ' GL
6,393 ' KB

TD: 2,412 '

PBTD: 2,410 '

DP #: 85705

Spud Date: 6/1/50

Compl Date: 6/30/50

Lease: 020293T

GWI: 25 %

Initial Potential: 460 Mcfd

NRI: 21 %

Original SIP: ? psi

Prop#: 0-020293

Casing Record:

<u>Hole Size (In.)</u>	<u>Csg Size (In.)</u>	<u>Wt. (#'s) & Grade</u>	<u>Depth Set (Ft.)</u>	<u>Cement (Sx.)</u>	<u>Cement (Top)</u>
12 1/4	8 5/8	24 J-55	92	35	circ to surf
7 7/8	5 1/2	14 J-55	2,297	95	1738' @ 75% eff.
4 3/4	3 1/2	6.9 J-55	2,412	115	741' @ 75% eff.

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>	<u>Comments</u>
1"	1.7 Line Pipe	2,348 '	118 est	

Formation Tops:

Ojo Alamo: 1,364 ' All Tops are Estimated
Kirtland Shale: 1,513 '
Fruitland: 2,064 '
Pictured Cliffs: 2,303 '

Logging Record:

Original Stimulation: Original: SOH w/245 qts SNG, Restim: Perf'd 2306-10, 2319-25, 2330-56 w/2 SPF, SWF w/30,870 gal wtr, 8,920# 10/20 & 19,940# 20/40 sd, Post Workover gauge: 1673 Mcfd

Workover History: 5/4/66: 3-1/2 Restim (see above Stimulation)

Production History: 5/98 PC capacity: 30 MCF/D. 5/98 PC cum: 1,232 MMCF.

Pipeline: WFS

File: Q:\area!\pcteam\1998\welldata\restim\RSTMPERT

Whitley # 1

Section 17 E, T-27 -N R-09 -W
San Juan, New Mexico

Fulcher Kutz Pictured Cliffs Field Wellbore Schematic

