



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 7. F. 078357
Unit Marshall "A"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of Perforations & sand-frac</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Marshall "A"

May 10, 1956

Well No. 3 is located 1380 ft. from (N) line and 1650 ft. from (E) line of sec. 15

15/4 Section 15
(1/4 Sec. and Sec. No.)

27N
(Twp.)

9W
(Range)

N. M. P. M.
(Meridian)

South Blanco
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 6132 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated 5-1/2" casing with 4 bullets per foot from 2136' to 2195' for a total of 236 shots. Well showed very small amount gas after perforating.

Treated perforations with 60,000# sand & 47,250 gallons water, using 55 bbls water to flush. Breakdown 1800# - treating 1600#. Inj. rate 51.9 bbls/min., time of treatment 24 min.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SHELLY OIL COMPANY

Address Box 426,

Farmington, New Mexico

By P. E. Cooper

Title District Foreman

