

STATE OF NEW MEXICO  
OIL CONSERVATION  
COMMISSION

DISTRICT NO. 3  
Phone 99 P. O. Box 697  
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office

DATA 72

075872-A

Lease No.

15/4 Sec. 15 in the  
Designated Orig. Unit

RECEIVED

OCT 25 1951

OIL CON. COM.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Block #12  
C SW NE NW

October 19

51

Well No. 12 is located 990 ft. from NW line and 1650 ft. from EW line of sec. 15  
15/4 15 27N 11E N.M.P.M.

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft. Not Determined

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Drill surface hole and run and set approximately 100' 8-5/8" surface casing and cement to surface.
2. Test surface casing, cement plug and drill to base of Pictured Cliffs sandstone at approximately 2000'.
3. Run electric log to total depth.
4. Run and set approximately 1900' of 5 1/2" H-40 14/ casing on top of Pictured Cliffs sandstone and cement with 150 sacks of cement.
5. Make off rotary tools, test production string cement plug, drill cement plug, clean out to bottom and shoot with nitro shot.
6. Clean out after shot and complete well ready for production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company

430 BOSTON BUILDING


Address

DENVER, COLORADO

By

K. C. Ferrelle, Geologist

Title



DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
UNITED STATES  
(SUBMIT IN TRIPLICATE)

Land Office  
Lease No.  
Unit



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	
NOTICE OF INTENTION TO CHANGE PLANS	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO REPAIR WELL	
NOTICE OF INTENTION TO SHUT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING	
NOTICE OF INTENTION TO ABANDON WELL	
SUPPLEMENTARY WELL HISTORY	
SUBSEQUENT REPORT OF ABANDONMENT	
SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
SUBSEQUENT REPORT OF ALTERING CASING	
SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
SUBSEQUENT REPORT OF WATER SHUT-OFF	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

\_\_\_\_\_ is located \_\_\_\_\_ ft. from \_\_\_\_\_ line and \_\_\_\_\_ ft. from \_\_\_\_\_ line of sec. \_\_\_\_\_, \_\_\_\_\_ ( Township ) \_\_\_\_\_ ( Range or Subdivision ) \_\_\_\_\_ ( State or Territory )

\_\_\_\_\_ ( Township ) \_\_\_\_\_ ( Range or Subdivision ) \_\_\_\_\_ ( State or Territory )

The elevation of the datum floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and extent of proposed work, and location of proposed casing; indicate whether work is for oil, gas, or geothermal energy, and all other important proposed work)

Company

Address

By

Title



Company The Frontier Refining Co.


Lease Bolack - SF 078872-A Well No. 12

Sec. 15 T. 27 N., R. 11 W., N.M.P.M.

Location 990' from the North line and 1650'  
from the West line.

San Juan County

New Mexico



N

Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Professional  
Engineer and Land Surveyor.

Charles J. Finklea  
N. Mex. Reg. No. 1302

Surveyed October 7, 1951