

District I
P.O. Box 1980, Hobbs, NM
District II
P.O. Drawer DD, Artesia, NM 88211
District III
100 Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Blow/Tank Drain — OK
Sejo-visk
non-volatile

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

A0055

Operator: Amoco Production Company Telephone: (505) - 326-9200
Address: 200 Amoco Court, Farmington, New Mexico 87401
Facility Or: Martin GC G1
Well Name _____
Location: Unit or Qtr/Qtr Sec B Sec 14 T 27N R 10W County San Juan
Pit Type: Separator _____ Dehydrator _____ Other production/blow
Land Type: BLM ☒, State _____, Fee _____, Other COM. AGMT.

Pit Location: Pit dimensions: length 20', width 20', depth 3'
(attach diagram) Reference: wellhead ☒, other _____
Footage from reference: 175
Direction from reference: 30 Degrees _____ East North ☒
_____ of _____
_____ West South _____

Depth To Ground Water: Less than 50 feet (20 points)
(Vertical distance from 50 feet to 99 feet (10 points)
contaminants to seasonal Greater than 100 feet (0 Points) 0
high water elevation of
ground water)

Wellhead Protection Area: Yes (20 points)
(Less than 200 feet from a private No (0 points) 0
domestic water source, or; less than
1000 feet from all other water sources)

Distance To Surface Water: Less than 200 feet (20 points)
(horizontal distance to perennial 200 feet to 1000 feet (10 points)
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 0
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____ Date Completed: 6/16/94

Remediation Method: Excavation ☒ (Check all appropriate sections) Landfarmed _____ Insitu Bioremediation _____
Other compost

Remediation Location: Onsite ☒ Offsite _____
(ie: landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____

Excavation

Ground Water Encountered: No ☒ Yes _____ Depth _____

Final Pit: Sample location see Attached Documents

Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)

Sample depth 3'

Sample date 6/16/94 Sample time 925

Sample Results

Benzene(ppm) ND

Total BTEX(ppm) 1.445

Field headspace(ppm) 306

TPH 1720 ppm


Ground Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 6/20/94

SIGNATURE B. Shaw PRINTED NAME AND TITLE Buddy D. Shaw Environmental Coordinator

6/16/94



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Amoco	Project #:	92140
Sample ID:	5 @ 3'	Date Sampled:	06-16-94
Laboratory Number:	7640	Date Received:	06-16-94
Sample Matrix:	Soil	Date Analyzed:	06-26-94
Preservative:	Cool	Date Reported:	06-30-94
Condition:	Cool and Intact	Analysis Needed:	TPH


Parameter -----	Concentration (mg/kg) -----	Det. Limit (mg/kg) -----
Total Petroleum Hydrocarbons	1720	30.0


ND = Parameter not detected at the stated detection limit.
N/A = Not applicable

Method: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Martin GC G1 Blow/Prod Pit A0055.


Analyst


Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	5 @ 3'	Date Reported:	07-01-94
Laboratory Number:	7640	Date Sampled:	06-17-94
Sample Matrix:	Soil	Date Received:	06-17-94
Preservative:	Cool	Date Extracted:	06-26-94
Condition:	Cool & Intact	Date Analyzed:	06-28-94
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
-----	-----	-----
Benzene	ND	13.5
Toluene	248	13.5
Ethylbenzene	ND	13.5
p,m-Xylene	740	438.6
o-Xylene	457	13


SURROGATE RECOVERIES:	Parameter	Percent Recovery
	-----	-----
	Trifluorotoluene	85 %
	Bromofluorobenzene	91 %


Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, July 1992

Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: Martin GC G1 Blow/Prod Pit A0055


Analyst


Review

District I

P O Box 1980, Hobbs, NM

District II

P O Drawer DD, Artesa, NM 88211

District III

100 Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICEPIT REMEDIATION AND CLOSURE REPORT

A0055

Operator: Amoco Production Company Telephone: (505) - 326-9200Address: 200 Amoco Court, Farmington, New Mexico 87401Facility Or: Martin GC GI
Well NameLocation: Unit or Qtr/Qtr Sec B Sec 14 T 27N R 10W County San JuanPit Type: Separator ☒ Dehydrator ☐ Other ☐Land Type: BLM ☒, State ☐, Fee ☐, Other COM. AGMT.Pit Location: Pit dimensions: length 15', width 27', depth 12'
(attach diagram)Reference: wellhead ☒, other ☐Footage from reference: 150Direction from reference: 50 Degrees ☒ East North ☒
of
☐ West South ☐

Depth To Ground Water:

(Vertical distance from
contaminants to seasonal
high water elevation of
ground water)

Less than 50 feet (20 points)

50 feet to 99 feet (10 points)

Greater than 100 feet (0 Points) 0

Wellhead Protection Area:

(Less than 200 feet from a private
domestic water source, or; less than
1000 feet from all other water sources)

Yes (20 points)

No (0 points) 0

Distance To Surface Water:

(horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches)

Less than 200 feet (20 points)

200 feet to 1000 feet (10 points)

Greater than 1000 feet (0 points) 0RANKING SCORE (TOTAL POINTS): 0

Date Remediation Started: _____ Date Completed: 6/16/94

Remediation Method: Excavation ☒ Approx. cubic yards 180
(Check all appropriate sections) Landfarmed ☒ Insitu Bioremediation _____
Other _____

Remediation Location: Onsite ☒ Offsite _____
(ie. landfarmed onsite, name and location of offsite facility)

General Description Of Remedial Action: _____
Excavation

Ground Water Encountered: No ☒ Yes _____ Depth _____

Final Pit: Sample location see Attached Documents

Closure Sampling: (if multiple samples, attach sample results and diagram of sample locations and depths)
Sample depth 10' + 12'
Sample date 6/16/94 Sample time 8⁴⁵ + 9⁰⁰

Sample Results

Benzene(ppm) 5.3 @ 10'
Total BTEX(ppm) 346.42 @ 10'
Field headspace(ppm) 519 @ 10'; 327 @ 12'
TPH 51 ppm @ 12'

Ground Water Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 6/20/94
SIGNATURE B. Shaw PRINTED NAME AND TITLE Buddy D. Shaw Environmental Coordinator

results apied to Johnny 7/6/94

CLIENT: Amoco

ENVIROTECH Inc.

PIT NO: A0055

5796 US HWY. 64, FARMINGTON, NM 87401
(505) 632-0615

CELL NO: 3748

FIELD REPORT: CLOSURE VERIFICATION

JOB No: 92140

PAGE No: 1 of 1

LOCATION: NAME: Martin GC G WELL #: 1 PIT: sep.

DATE STARTED: 6/16/94

QUAD/UNIT: B SEC: 14 TWP: 27N RNG: 10W BM: NM CNTY: SJ ST: NM

DATE FINISHED: 6/16/94

QTR/FOOTAGE: NW/NE

CONTRACTOR: EPC

ENVIRONMENTAL SPECIALIST: CLG

SOIL REMEDIATION: EXCAVATION APPROX. 15 FT. x 27 FT. x 12 FT. DEEP.

DISPOSAL FACILITY: land formed on-site CUBIC YARDAGE: 180

LAND USE: range LEASE: SF-077329

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 150 FEET NSOE FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000

NMOC D RANKING SCORE: 0 NMOC D TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

light yellow brown sand, slightly moist + slightly cohesive
sep. side is gray stained sand

FIELD 418.1 CALCULATIONS

SAMPLE ID	LAB No:	WEIGHT (g)	IML. FREON	DILUTION	READING	CALC. ppm


SCALE



0 FEET
PIT PERIMETER

OVM RESULTS

PIT PROFILE



TRAVEL NOTES

DATE: 6/15/94

ON SITE: 6/16/94

Well Name:

Well Site location:

Pit Type:

Producing Formation:

Pit Category:

Horizontal Distance to Surface Water:

Vicinity Groundwater Depth:

Martin GC G #1

Unit B. Sec. 14, T27N, R10W

Separator Pit

Basin Dakota

Non Vulnerable

> 1000 ft.

> 100 ft.

RISK ASSESSMENT (non-vulnerable area)


Pit remediation activities were terminated when trackhoe reached practical extent for abandoned pit at 12 ft. below grade and for safety concerns (underground piping and surface equipment).

No past or future threat to surface water or groundwater is likely based on the following considerations:

1. Groundwater levels located on or close to the well pad are estimated to be at a much greater depth below presumed shallow sandstone bedrock (based on informal site observation of adjacent sandstone outcrop).
2. Topographic information does not indicate off site lateral fluid migration near the earthen pit.
3. Daily discharge into the earthen pit has been terminated (pit abandoned). Prior discharge into the pit is believed to be under 5 barrels per day.
4. Well site located within the **non-vulnerable area** and is approximately 0.22 miles west of the nearest vulnerable area boundary (Armenta Canyon wash).

(Refer to Huerfanito Peak Quadrangle, New Mexico - Rio Arriba County, 7.5 Minute Series (Topographic), photo edition 1985, (vulnerable area boundary developed by Mr. William C. Olson, Hydrogeologist, Environmental Bureau, New Mexico Oil Conservation Division).

Based upon the information given, we conclude that the subsurface vertical and lateral impact to groundwater is very unlikely. AMOCO requests pit closure approval on this location.



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Amoco	Project #:	92140
Sample ID:	5 @ 12'	Date Sampled:	06-16-94
Laboratory Number:	7638	Date Received:	06-16-94
Sample Matrix:	Soil	Date Analyzed:	06-25-94
Preservative:	Cool	Date Reported:	06-30-94
Condition:	Cool and Intact	Analysis Needed:	TPH

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----	-----	-----
Total Petroleum Hydrocarbons	51	25.0


ND = Parameter not detected at the stated detection limit.
N/A = Not applicable

Method: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Martin GC G1 Separator Pit A0055.

Robert M. Young
Analyst

Mavis D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Amoco	Project #:	92140
Sample ID:	4 @ 10'	Date Reported:	07-01-94
Laboratory Number:	7639	Date Sampled:	06-17-94
Sample Matrix:	Soil	Date Received:	06-17-94
Preservative:	Cool	Date Extracted:	06-26-94
Condition:	Cool & Intact	Date Analyzed:	06-28-94
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
-----	-----	-----
Benzene	5300	13.5
Toluene	46700	13.5
Ethylbenzene	4420	13.5
p,m-Xylene	221000	437.7
o-Xylene	69000	13

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	-----	-----
	Bromofluorobenzene	103 %

Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, July 1992

Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: Martin GC G1 Separator Pit A0055

Robert M. Young
Analyst

Margaret D. Young
Review

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>A0055</u> C.O.C. NO: _____
----------------------	--	---

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: <u>MARTIN GC</u> WELL #: <u>G1</u> PITS: <u>BLW/PRO, SEP</u>	DATE STARTED: <u>4/5/95</u>
QUAD/UNIT: <u>B SEC: 14 TWP: 27N RNG: 10W PM: NM CNTY: ST NM</u>	DATE FINISHED: _____
QTR/FOOTAGE: <u>NW 1/4 NE 1/4</u> CONTRACTOR: <u>EPC</u>	ENVIRONMENTAL SPECIALIST: <u>NV</u>

SOIL REMEDIATION:

REMEDICATION SYSTEM: <u>LANDFARMED</u>	APPROX. CUBIC YARDAGE: <u>180</u>
LAND USE: <u>RANGE</u>	LEASE: <u>SF - 077329</u>

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'


NMDCD RANKING SCORE: 0 NMDCD TPH CLOSURE STD: 5000 PPM

SOIL MOSTLY MOD. TO DK. YELL. BROWN SAND, NON-COHESIVE, SLIGHTLY MOIST, FIRM, NO INDICATION OF ANY HC ODOR PRESENT IN COMPOSITE SAMPLE.

FIELD 418.1 CALCULATIONS

SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1330 LF-1	TPH-1451	5	20	1:1	318	1,272

SKETCH/SAMPLE LOCATIONS



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)

LAB SAMPLES

SAMPLE ID	ANALYSIS

TRAVEL NOTES CALLOUT: 4/5/95 AFTER. ONSITE: 4/5/95 AFTER.

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413

Phone: (505)632-1199 Fax: (505)632-3903

**FIELD MODIFIED EPA METHOD 418.1
TOTAL PETROLEUM HYDROCARBONS**

Client:	Amoco	Project #:	
Sample ID:	LF - 1	Date Analyzed:	04-07-95
Project Location:	Martin GC G1	Date Reported:	04-07-95
Laboratory Number:	TPH-1451	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
-----	-----	-----
Total Recoverable Petroleum Hydrocarbons	1,300	20

ND = Not Detectable at stated detection limits.

QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	-----	-----	-----
	14000	13000	7.41


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and Waste,
USEPA Storet No.4551, 1978

Comments: Landfarm Composite - A0055



Analyst



Review

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413

Phone: (505)632-1199 Fax: (505)632-3903

Field TPH-Worksheet

Max Characters:

Client:

Amoco

Project #:

Sample ID:

LF - 1

Date Analyzed:

04-07-95

Project Location:

Martin GC G1

Date Reported:

04-07-95

Laboratory Number:

TPH-1451

Sample Matrix:

Soil

Sample Weight:

5.00 grams

Volume Freon:

20.00 mL

Dilution Factor:

1 (unitless)

TPH Reading:

318 mg/kg

TPH Result:

1272.0 mg/kg

Reported TPH Result:

1300 mg/kg

Actual Detection Limit:

20.0 mg/kg

Reported Detection Limit:

20 mg/kg

QA/QC:

Original
TPH mg/kg

Duplicate
TPH mg/kg

%
Diff.

14000

13000

7.41

Comments:

*****Max Characters*****

Comments:

Landfarm Composite - A0055

CLIENT <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>A0055</u> C.O.C. NO: <u>ANALYTICAL</u>
---------------------	--	---

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: <u>MARTIN GC G1</u>	LEASE: <u>SF-077329</u>	DATE STARTED: <u>3-25-96</u>
QUAD/UNIT <u>B</u> SEC: <u>14</u> TWP: <u>27N</u> RNG: <u>10W</u> BM: <u>NH</u> CNTY: <u>55</u> ST: <u>NM</u>		DATE FINISHED: <u>3-25-96</u>
DIR/FOOTAGE <u>NW/NE</u>	CONTRACTOR: <u>EPC</u>	ENVIRONMENTAL SPECIALIST: <u>RED</u>

SOIL REMEDIATION:

REMEDICATION SYSTEM: L.F. / C.P. APPROX. CUBIC YARDAGE: 224
LAND USE: RANGE

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER >100' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'
NMDC BANKING SCORE 0 NMDC TPH CLOSURE STD: 5000 PPM


SOIL CONSISTS OF moist, brown, silt-sand, no straw / no odor.

FIELD 4181 CALCULATIONS

SAMPLE ID	LAB No:	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. ppm

CLOSE L.F./C.P.

SKETCH/SAMPLE LOCATIONS



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PID (ppm)
Comp. A	50

LAB SAMPLES

SAMPLE ID	ANALYSIS
Comp. A	8015 *

16.5 ppm

SCALE

0 FT

TRAVEL NOTES: CALLOUT: 3-25-96 ONSITE: 3-25-96 1340

TOTAL VOLATILE PETROLEUM HYDROCARBONS
Gasoline Range Organics

Blagg Engineering, Inc.

Project ID: Martin GC G1
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 03/27/96
Date Sampled: 03/25/96
Date Received: 03/26/96
Date Extracted: 03/26/96
Date Analyzed: 03/26/96


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Comp. A	2976	ND	17.4

ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	92%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation, Division
of Underground Storage Tanks.

Comments:


Analyst


Review

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS**Diesel Range Organics****Blagg Engineering, Inc.**

Project ID: Martin GC G1
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 03/27/96
Date Sampled: 03/25/96
Date Received: 03/26/96
Date Extracted: 03/26/96
Date Analyzed: 03/26/96

Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Comp. A	2976	16.5	13.6

ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	o - Terphenyl	114%	50 - 150%

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review

PROJECT MANAGER:
Analytica Lab I.D.:

Company: BLA66
Address:
Phone: 632-1199
Fax:
Bill To: SAME
Company:
Address:

CHAIN OF CUSTODY

Page 1 of 1

ORGANIC ANALYSES				WATER ANALYSES				METALS		COMMENTS																
Petroleum Hydrocarbons (418.1)	Gasoline / Diesel (mod. 8015)	Gasoline (GRO)	Aromatic HCs (BTX/M/TBE (602 / 8020)	Chlorinated Hydrocarbons (8010)	SDWA Volatiles (502.1 / 503.1)	Chlorinated Pesticides / PCBs (608 / 8080)	Herbicides (615 / 8150)	Volatiles GC/MS (624 / 8240 / 8260)	Base / Neutral / Acid GC/MS (625 / 8270)		Polynuclear Aromatic Hydrocarbons (8100)	TCLP Extraction	Other (specify):	Cation / Anion	Specific Cations (specify):	Specific Anions (specify):	BOD / Fecal / Total Coliform	Solids: TDS / TSS / SS	Nutrients: NH4+ / NO2- / NO3- / TKN	Oil and Grease	Other (specify):	Priority Pollutants	RCRA Metals (Total)	RCRA Metals TCLP (1311)	Other (specify):	
✓	✓	✓	✓																							MARTIN GC FIR
✓	✓	✓																								M.N. GALT J2
✓	✓	✓																								MARTIN GC GI
✓	✓	✓																								MARTIN GC CIE

Sampled By:		Relinquished By:	
Signature	Date	Signature	Date
R. E. ORR	3-25-96	R. E. ORR	3-26-96
Company: BEI	Time: 0800	Company: BEI	Time: 0904

Received By:		Received By:	
Signature	Date	Signature	Date
R. E. ORR	3-26-96	R. E. ORR	3-26-96
Company: BEI	Time: 0905	Company: BEI	Time: 0905

Please Fill Out Thoroughly.

Shaded areas for lab use only.

White/Yellow: Analytica
Pink: Client

EPC