

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 078094  
Unit Govt. Fullerton

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 5 is located 660 ft. from N line and 1980 ft. from E line of sec. 15  
27N. 11W (Meridian)  
Co. 15 Sec. 15

San Juan Subdivision) New Mexico

The elevation of the derrick floor above sea level is 6330 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlog jobs, cementing points, and all other important proposed work)

PROGRAM to drill and test subject well to the Morrison formation. Surface Casing: 9-5/8" A.S.W casing to be set at 320' KB and cemented with 175 sac with 1/4 cu. ft. stratacrete per sack followed by 125 sac neat cement. WOC 24 hrs. Production Casing: 5 1/2" OD 14# and 15.5# J-55 casing to be set thru the lowest possible producing zone. Use centralizers and rotating type scratchers through the Dakota and Gallup Sands. Cement with 450 sac 50-50 Pozmix cement with 2% Cel. WOC 72 hrs. Coring: Core 50' of Lower Gallup Sand and 50' of Dakota Pay zone. Testing: If content of sands based on electric log and cores is questionable, DST will be taken. Logging: Combination ES-Ind. log from TD to surface casing. Detail ES-Ind. log and Microlog through Dakota, Greenhorn, Gallup, Ft. Lockhart, Pictured Cliffs, and Fruitland zones. Run Gamma Ray-Cellar log in conjunction with perforating. Drilling Time: Geolograph to be used from 320' to TD. Surveys: At 50' intervals to 300'; thereafter at 250' intervals. Standard Depth Measurements: LM of drill pipe at 300' above the Lower Gallup zone, prior to coring or DST, and at TD. Completion Program: Whenever practicable, completion will be with rotary.

Company THE BRITISH-AMERICAN OIL PRODUCING COMPANY

Address P. O. Box 180

Denver, Colorado

By \_\_\_\_\_

Title John E. Stein  
District Engineer



NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date \_\_\_\_\_

Operator British American Oil Producing Company Lease Fullerton  
Well No. 5 Unit Letter \_\_\_\_\_ Section 15 Township 27 North Range 11 West NMPM  
Located 660 Feet From North Line, 1980 Feet From East Line  
County San Juan G. L. Elevation 6321 Dedicated Acreage 40 Acres  
Name of Producing Formation \_\_\_\_\_ Pool \_\_\_\_\_

1. Is the Operator the only owner\* in the dedicated acreage outlined on the plat below?  
Yes ☒ No \_\_\_\_\_
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes \_\_\_\_\_ No \_\_\_\_\_. If answer is "yes,"  
Type of Consolidation \_\_\_\_\_
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

RECEIVED


DEC 29 1958

RECEIVED  
DEC 29 1958  
OIL CON. COM.  
DIST. 3

DEC 29 1958

NEW MEXICO

Section B.



U.S.G.L.O. std.  
Sec. COR.  
(brass cap)  
10/11  
15/14  
1918

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

British American  
(Operator)

Harold Stone  
(Representative)

Box 1666  
Address  
Farmington, N.M.

This is to certify that the well location is as shown on the plat in Section A and is true to the best of my knowledge and belief.

Date Surveyed Dec. 13, 1958

Ernest V. Echshaw  
Ernest V. Echshaw  
Registered Land Surveyor.

Certificate No. 1545