

LOCATE WELL CORRECTLY

LOG OF OIL OR GAS WELL

Company **Max W. Coll, II** Address **P.O. Box 1818, Roswell, NMex.**
 Lessor or Tract **Rex** Field **Wildcat** State **New Mexico**
 Well No. **1** Sec. **8** T. **27N** R. **13W** Meridian **NMPM** County **San Juan**
 Location **330** ft. **N** of **N** Line and **1826** ft. **E** of **W** Line of **Sec. 18** Elevation **6038**

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed W. J. Holt

Date **26 July 1960** Title **Operator**

The summary on this page is for the condition of the well at above date.

Commenced drilling July 6-----, 1960 Finished drilling July 25-----, 1960

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from **None** to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to **100-1-365**
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from ~~None~~ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
7"	135	8	Butt in to 162	102 1/2	None	and 162 1/2	of 162 1/2	of 162 1/2	of 162 1/2
HISTORY OF OIL OR GAS WELL TO BE FILLED IN BY THE OPERATOR, MINING OFFICE									

MUDDING AND CEMENTING RECORD

[illegible]

PLUGS AND ADAPTERS

Heaving plug—Material	Length	Depth set
Adapters—Material	Size	

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

_____ , 19____

DATE
Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours ----- Gallons gasoline per 1,000 cu. ft. of gas -----

Rock pressure, lbs. per sq. in.

EMPLOYEES

		, Driller			, Driller
Carl Ray		, Driller		J Folk	, Driller

<u>J. G. Oliphant</u>	<u>FORMATION RECORD</u>
-----------------------	-------------------------



FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0 120	120 655	120 535	Ojo Alamo Kortland shale & farmington sand.
426			- Farmington (U.S.D.S. Scout report) P. & A. 8. 31-60
FROM—	TO—	TOTAL FEET	FORMATION

LOVER

FOKIAV LION KESOKD-Continued

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
UNITED STATES



LOG OF OIL OR GAS WELL

Company - Max W. Goff, Inc.
Lessor or Trust - Rex
Well No. 1
Location - 330 ft. of ...
The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.
Signed _____

Date - 25 July 1968
Title - Operator
The summary on this page is for the condition of the well at above date.
Commenced drilling - July 6
Finished drilling - July 25
19 68

OIL OR GAS SANDS OR ZONES	
No. 1 from	No. 4 from
No. 2 from	No. 5 from
No. 3 from	No. 6 from
IMPORTANT WATER SANDS	
No. 1 from	No. 3 from
No. 2 from	No. 4 from

CASING RECORD	
Size casing	Weight casing
Length casing	Perforations
From	To
It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and purpose of shot. If bridges or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.	


HISTORY OF OIL OR GAS WELL

MUDDING AND CEMENTING RECORD	
Size casing	Weight casing
Length casing	Perforations
From	To
PLUGS AND ADAPTERS	
Heaving plug - Material	Length
Adapters - Material	Size
SHOOTING RECORD	
Size	Shell used
Explosive used	Quantity
Date	Depth shot
Depth cleaned out	

TOOLS USED	
Cable tools were used from	feet to
Rotary tools were used from	feet to
DAYS	
Put to producing	
The production for the first 24 hours was	
emulsion; water; and sediment	
If gas well, cu. ft. per 24 hours	
Rock pressure, lbs. per sq. in.	

EMPLOYEES	
Driller	Driller
Driller	Driller

FORMATION RECORD	
FROM	TO
120	120
225	225
235	235
240	240
245	245
250	250
255	255
260	260
265	265
270	270
275	275
280	280
285	285
290	290
295	295
300	300
305	305
310	310
315	315
320	320
325	325
330	330
335	335
340	340
345	345
350	350
355	355
360	360
365	365
370	370
375	375
380	380
385	385
390	390
395	395
400	400
405	405
410	410
415	415
420	420
425	425
430	430
435	435
440	440
445	445
450	450
455	455
460	460
465	465
470	470
475	475
480	480
485	485
490	490
495	495
500	500
505	505
510	510
515	515
520	520
525	525
530	530
535	535
540	540
545	545
550	550
555	555
560	560
565	565
570	570
575	575
580	580
585	585
590	590
595	595
600	600
605	605
610	610
615	615
620	620
625	625
630	630
635	635
640	640
645	645
650	650
655	655
660	660
665	665
670	670
675	675
680	680
685	685
690	690
695	695
700	700
705	705
710	710
715	715
720	720
725	725
730	730
735	735
740	740
745	745
750	750
755	755
760	760
765	765
770	770
775	775
780	780
785	785
790	790
795	795
800	800
805	805
810	810
815	815
820	820
825	825
830	830
835	835
840	840
845	845
850	850
855	855
860	860
865	865
870	870
875	875
880	880
885	885
890	890
895	895
900	900
905	905
910	910
915	915
920	920
925	925
930	930
935	935
940	940
945	945
950	950
955	955
960	960
965	965
970	970
975	975
980	980
985	985
990	990
995	995
1000	1000



(SUBMIT IN TRIPPLICATE)

Land Office Santa Fe

Case No. 878882-C

Date _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHUT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 9, 1965

Rex

Well No. 1 is located 330 ft. from [N] line and 1020 ft. from [W] line of sec. 10

NE 1/4 Sec. 8 27 North, 13 West NMPD

Wilcox San Juan New Mexico



The elevation of the derrick floor above sea level is 6030 ft.

DETAILS OF WORK

(State names of and estimated depths to objective sands, clay, shales, and lengths of proposed casing; indicate casing jobs, cementing jobs, and all other important proposed work)

The well was bridged at 450 feet and a 10 sack plug was dumped on bridge. Bridged again at 125 feet and another 10 sack plug was dumped. Bridged at surface and a surface marker was set in cement.

Total Depth 466 feet.



I understand that this plan of work must receive approval in writing by the Geological Survey before it is carried out.

Company M. W. Cell

Address P. O. Box 1818

Roswell, New Mexico

By

Title Operator