Budget Bureau No. 42-R355.4.
Approval expires 12-31-60.

Form 9-330

U. S. LAND OFFICE Santa Fe
SERIAL NUMBER NM-0229
LEASE OR PERMIT TO PROSPECT



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
AUG 15 1958
U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

LOG OF OIL OR GAS WELL

Company Aztec Oil & Gas Company Address Box 786 Farmington New Mex.
Lessor or Tract Whitley Field South Blanco State New Mexico
Well No. 2 Sec. 9 T. 27 R. 9 Meridian N.M.P.M. County San Juan
Location 890 ft. {N./S.} of S Line and 1090 ft. {E./W.} of W Line of Section 9 Elevation 6227
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed ORIGINAL SIGNED BY JOE C. SALMON
Date August 12, 1958 Title District Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling July 1, 1958 Finished drilling July 5, 1958

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 2204 G to 2270 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

RECEIVED
AUG 18 1958
OIL CON. COM.
DIST. 3

IMPORTANT WATER SANDS

No. 1, from to No. 3, from to
No. 2, from to No. 4, from to

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated From—	Perforated To—	Purpose
8 5/8	24#	8rd	J-55	94'					
5 1/2	14#	8rd	J-55	2298'	Baker		2204	2270	
1"	1.7#	10rd	H	2226'					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8 5/8	100'	135			
5 1/2	2308'	100	Two Plug		
1"	2234'				

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set
Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
Sand-water fraced with 84,000 gallons water and 70,000 lbs. sand.						

TOOLS USED

Rotary tools were used from 0 feet to 2308 feet, and from feet to feet
Cable tools were used from 0 feet to 2272 feet, and from feet to feet

DATES

July 18, 1958 Put to producing July 24, 1958

The production for the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours AOF 1357 MCF Gallons gasoline per 1,000 cu. ft. of gas

FOLD | MARK

16—43094-2 U. S. GOVERNMENT PRINTING OFFICE

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.