UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

5.	LEASE
	SF-078673
6,	IF INDIAN, ALLOTTEE OR TRIBE NAME
2	
	UNIT ACDEEMENT NAME

GEOLOGICAL SURVEY	6,7 IF INDIAN, ALLOTTEE OR TRIBE NAME	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME	
4 1	8. FARM OR LEASE NAME Schlosser	
well well the other	9. WELL NO.	
2. NAME OF OPERATOR R & G DRILLING CO.	10. FIELD OR WILDCAT NAME	
	W. Kutz Pictured Cliffs	
P. O. Drawer 419, Farmington, NM 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR	
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA	
below.) AT SURFACE: 990'FSL 990'FWL	Sec. 10 T27NR11W 12. COUNTY OR PARISH 13. STATE	
AT TOP PROD. INTERVAL: Same	San Juan New Mexico	
AT TOTAL DEPTH: Same	14. API NO.	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,		
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)	
	6283 GR	
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)	JRVEY	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner	lirectionally drilled, give subsurface locations and	
See attached	DECENTED OIL CON: DIV.	

Subsurface Safety Valve: Manu. and Type	Set @	Ft.
18. I hereby certify that the foregoing is true and correct		
SIGNED Dewayne Blancett TITLE Production F	oreman _E 8/16/82	
(This space for Federal or State off	ice use)	
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	*APPROVIED	
*See Instructions on Reverse S	FER 1 1983	
	DISTRICT ENGINEER	



R & G DRILLING CO. SCHLOSSER NO. 1 SECTION 10, T27N, R11W San Juan County, New Mexico

Formation Tops:

Ojo Alamo	983
Kirtland	1071
Fruitland	1826
Pictured Cliffs	2034

9 5/8", 32 1b. set at 109'
7", 26 1b. set at 2037'
Open hole completion from 2046 to 2116

Well was plugged in the following manner:

8/12/82 Spot cement plug from 2084' to 1989' with 25 sacks Class "B" cement.

8/13/82 Spot 25 sacks Class "B" cement at 1876'.

Perforate 7" casing at 1033'. Spot 50 sacks Class "B" cement at 1050'. Squeeze 25 sacks through perforations.

Perforate 7" casing at 159'. Circulate cement through perforations to surface.

Spot surface plug and set 4 ft. surface marker.

