

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
(well) (well) (well)
2. NAME OF OPERATOR
El Paso Natural Gas Company
3. ADDRESS OF OPERATOR
P. O. Box 990, Farmington, New Mexico
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 990'/S, 1800'/E, Sec. 9-27-10
AT TOP PROD. INTERVAL: same
AT TOTAL DEPTH: same

15. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐ ☐

FRACTURE TREAT ☐ ☐

SHOOT OR ACIDIZE ☐ ☐

REPAIR WELL ☐ ☐

PULL OR ALTER CASING ☐ ☐

MULTIPLE COMPLETE ☐ ☐

CHANGE ZONES ☐ ☐

ABANDON* ☐ ☒

(other) ☐ ☐

5. LEASE
SF 077382
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Hargrave
9. WELL NO.
2
10. FIELD OR WILDCAT NAME
Fulcher-Kutz P.C.
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
SE Sec. 9, T27N, R10W
12. COUNTY OR PARISH
San Juan
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD.)
6344' DF

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Used 50 sx. cement to put plug across Pictured Cliffs (400').
2. Used 25 sx. across Ojo Alamo (200').
3. Perf w/4 shots at 1000' and used 50 sx cement.
4. Perf w/4 shots at 130', used 33 sx cement.
5. Used 10 sx cement to set dry hole marker.

The above procedure differs from Request for Approval to Abandon dated 1-9-78 and the above had the approval of P.T. McGrath on 4-13-78. A subsequent report will be filed after surface restoration is complete.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED a. J. Lohr TITLE Production Engineer DATE 4-19-78


(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

JUL 1979
James V. Lewis
ACTING DISTRICT ENGINEER

TITLE _____ DATE _____

*See Instructions on Reverse Side



RECEIVED

APR 24 1978

U. S. GEOLOGICAL SURVEY