

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Tribal
Navajo Allotted
Allottee Mallic Plateau
Lease No. 2-142-Sub. 1144

APPROVED

JUN 12 1956

UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

J. W. LONG
ENGINEER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Report of Perforating & sand free</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Mallic Plateau

April 12, 1956

Well No. 1 is located 1360 ft. from SN line and 1295 ft. from W line of sec. 10

SW/4 Section 10

(1/4 Sec. and Sec. No.)

South Elmore

(Field)

27N

(Twp.)

San Juan

(County or Subdivision)

9W

(Range)

N. M. P. M.

(Meridian)

New Mexico

(State or Territory)


The elevation ~~2124'~~ above sea level is 6107 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Perforated from 2124'-2134' with 4-9/16 Schlumberger bullets per foot for a total of 120 shots.

Water free through perforations with 21,000 gallons water and 30,000 sand. 20 pressure 2100#, avg. treating press. 1800#, time of treatment 13 min. Inj. rate 32 bbls/min.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SEELY OIL COMPANY

Address P. O. Box 424,
Farmington, New Mexico

By J. L. Cooper

Title District Foreman