



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078094
Unit Fed'l Pullerton

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<u>No-Frm</u> XX

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 16, 1961, 19

Well No. 7 is located 1692 ft. from S line and 1730 ft. from W line of sec. 11

N. 1/4 Sec. 11 (1/4 Sec. and Sec. No.) 27N (Twp.) 11W (Range) 104PM (Meridian)
West Hills Canyon (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6313.65

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforated 6485-6502 per GR with 4 - 20 gram jet shots per foot. Rigged up Dwell and sand water fraced with 20,000 LB. 40-60 Sand with 25,000 gallons water, 2,600 lb. Calcium Chloride, 990 lbs. J-101. Filled hole and broke down with 16 barrels water, 4200 psi to 3500 psi. Treated at 3300 psi to 3900 psi, .5 lb. to 2 lb. sand per gallon at 14 BPM. Finished with 52 barrels water, 18 BPM at 3300 psi. 1000 psi 3 minutes after start in. Job completed at 8:45 AM 2-15-61. Ran sand line with sinker bars and checked top of sand at 6516' KB. Rigged up Caving 1-3/4" Hydrostatic mud pump and cleaned out 6516 to 6525 PDB.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The British-American Oil Prod. Co.

Address P. O. Drawer 330
Farmington, N.M.

By Lee E. Stone
Title Field Superintendent