STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

DISTRICT NO. 3 Phone 99 P. O. Box 697 AZTEC, NEW MEXICO

NOTICE OF INTENTION TO DRILL___

NOTICE OF INTENTION TO CHANGE PLANS_____

(SUBMIT IN. TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	
Lease No	377329

alt	- EV-	. 14		_
			7 - * \$ 	
			Transfer of	

SUNDRY NOTICES AND REPORTS ON WEILS SEP 2 8 1951

SUBSEQUENT REPORT OF WATER SHUT-OFF ... SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING

NOTICE OF INTERNAL	PLANS	SUBSEQUENT REPORT OF CUR	
NOTICE OF INTENTION TO TEST WA	TER SHUT-OFF	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO RE-DRILL		SUBSEQUENT REPORT OF ALTERING CASING	
MOTICE OF INTENTION TO SHOOT O	R ACIDIZE	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO PULL OR	ALTER CASING.	UPPLEMENTARY WELL HISTORY.	
NOTICE OF INTENTION TO ABANDON	WELL	OFFICEMENTARY WELL HISTORY.	
(INDICA	TE ABOVE BY CHECK MARK NATURE	OF REPORT, NOTICE, OR OTHER DATA)	
		THER DATA	
	Yarmi	to the form of the second	
		naton, low Sexico,	19.52
Well No.	ated 1700 c. c. AM	line and 1735 ft. from W line of sec.	
** /*	rt. from S	line and 1735 ft. from line of see	
	T-27-1 1-10	(W) The or sec.	-10
(14 Sec. and Sec. No.)	(Twp.) (Range		
ulcher-auta	(Range	(Meridian)	
(Field)	(County or Subdiv	ision)	
M. I . A	(County of Subdiv	ision) (State or Territory)	
The elevation of the derrick	floor above sea level is	121.7 G (n	
		The state of	
	DETAILS OF		
itate names of and expected depths to	DETAILS OF objective sands; show sizes, weight ing points, and all other imposes, 5 decing was self-location and such self-location and s	WORK s, and lengths of proposed casings; indicate mudding jobs stant proposed work	
otate names of and expected depths to a regular 29, 1951 otary rig was moved of the name of the page of the rest page.	DETAILS OF objective sands; show sizes, weight ing points, and all other imposing points, and all other imposing points, and all other imposing points.	WORK a, and lengths of proposed casings; indicate mudding jobe retain proposed work) to 2133 feet with 75 sacks occurred to 1213 feet wi	nit.
otate names of and expected depths to a regular 29, 1951 otary rig was moved of the name of the page of the rest page.	DETAILS OF objective sands; show sizes, weight ing points, and all other imposing points, and all other imposing points, and all other imposing points.	WORK a, and lengths of proposed casings; indicate mudding jobstant proposed work) Lat 2133 feet with 75 sacks complete tool rig sowed on location to	nit.
in August 29, 1951 Otary rig was moved of the low course of the lourse of the august had notifiered a satisfactor	DETAILS OF objective sands; show sizes, weight ing points, and all other impoints, and all other impoints and each in September 20, 19 19th feet of solid led dry, liels reserved water shut-off to	work a, and lengths of proposed casings; indicate mudding jobs t at 2133 feet with 75 sacks com- te tool rig soved on location to the tool was bailed dry and remained the for the length was then drilled in bottom timed dry for two hours which was est.	ort. drill ined a of
itate names of and expected depths to a suggest 29, 1951 other rig was moved a second play and pays of the fours. The suggest had not been a satisfactoric assumption of suggest and a suggest had not been assumptioned a satisfactoric and a suggest a satisfactoric and a suggest assumption of suggests and a suggest a satisfactoric and a suggest a suggest a suggest and a suggest a sugges	DETAILS OF objective sands; show sizes, weight ing points, and all other impo 5 casing was se ff location and cab reptember 20, 10 1rty feet of solic 1rty feet of	work a, and lengths of proposed casings; indicate mudding jobs t at 2133 feet with 75 sacks com- te tool rig soved on location to the tool was bailed dry and remained the for the length was then drilled in bottom timed dry for two hours which was est.	ort. drill ined a of
in August 29, 1951 Otary rig was moved of the low course of the lourse of the august had notifiered a satisfactor	DETAILS OF objective sands; show sizes, weight ing points, and all other impo 5 casing was se ff location and cab reptember 20, 10 1rty feet of solic 1rty feet of	WORK a, and lengths of proposed casings; indicate mudding jobe retain proposed work) to 2133 feet with 75 sacks occurred to 1213 feet wi	ort. drill ined a of
itate names of and expected depths to a suggest 29, 1951 other rig was moved a second play and pays of the fours. The suggest had not been a satisfactoric assumption of suggest and a suggest had not been assumptioned a satisfactoric and a suggest a satisfactoric and a suggest assumption of suggests and a suggest a satisfactoric and a suggest a suggest a suggest and a suggest a sugges	DETAILS OF objective sands; show sizes, weight ing points, and all other impo 5 casing was se ff location and cab reptember 20, 10 1rty feet of solic 1rty feet of	work a, and lengths of proposed casings; indicate mudding jobs t at 2133 feet with 75 sacks com- te tool rig soved on location to the tool was bailed dry and remained the for the length was then drilled in bottom timed dry for two hours which was est.	ort. drill ined a of
in the second expected depths to the second place are pays for two cours. The second relationship and relati	DETAILS OF objective sands; show sizes, weight ing points, and all other impo ing points, and	work a, and lengths of proposed casings; indicate mudding jobs t at 2133 feet with 75 sacks com- te tool rig soved on location to the tool was bailed dry and remained the for the length was then drilled in bottom timed dry for two hours which was est.	ort. drill ined a of
itate names of and expected depths to a second policy rig was severed a second play are: payor for two course. The and relative as satisficted as satisficted and relative and relative and relative and relative as satisficted as satisficated as satisficted as satisficated as s	DETAILS OF objective sands; show sizes, weight ing points, and all other impo ing points, and	WORK a, and lengths of proposed casings; indicate mudding jobs stant proposed work) Lat 2133 feet with 73 sacks occurrent to the tool Fig Soved on location to the tool Fig Soved on location to the sacks of the tool was belief dry and resulting the bottom with the tool was belief dry for two hours with the bottom was the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the commented to	ort. drill ined a of
in the second expected depths to the second place are pays for two cours. The second relationship and relati	DETAILS OF objective sands; show sizes, weight ing points, and all other impo ing points, and	WORK a, and lengths of proposed casings; indicate mudding jobs stant proposed work) Lat 2133 feet with 73 sacks occurrent to the tool Fig Soved on location to the tool Fig Soved on location to the sacks of the tool was belief dry and resulting the bottom with the tool was belief dry for two hours with the bottom was the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the commented to	ort. drill ined a of
in the second expected depths to the second place are pays for two cours. The second relationship and relati	DETAILS OF objective sands; show sizes, weight ing points, and all other impo ing points, and	WORK a, and lengths of proposed casings; indicate mudding jobe react proposed work) Lat 2133 feet with 75 sacks certified to the control of	ort. drill ined a of
in the second expected depths to the second place are pays for two cours. The second relationship and relati	DETAILS OF objective sands; show sizes, weight ing points, and all other impo ing points, and	WORK a, and lengths of proposed casings; indicate mudding jobs stant proposed work) Lat 2133 feet with 73 sacks occurrent to the tool Fig Soved on location to the tool Fig Soved on location to the sacks of the tool was belief dry and resulting the bottom with the tool was belief dry for two hours with the bottom was the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the comment of the Geological Survey before operations may be commented to the commented to	ort. drill ined a of

CONTRACT OF STREET

to the second

and seems!

the same of the sa

DEPARTMENT OF THE INTESTOR

ENTARE LE VIOLE YEVEN SON THE

		170 AT	
Andreas and the second			

and the second s CHASTWOLN'S REPORT - CONTROL CHURCH CONTROL CO The state of the s SANTONE STAR WINT IN IN THE STAR AND The manager of the second of the second seco The state of the s SERVICE OF SOME STATE FOR and the second of the second o The second of the second second second and the second s The Andrew Wilsons and the second s . sabsokaat u**i¢∺**0 The second secon

The most state and box and the state of the bost state of the state of

The South St.

the continues the dended floor above sea to discuss the

DELAMS OF WORK

Costs are as the feeter of depths to objective sand, placed and lengths of proposed callegers. Double, while proposed and the proposed works.

l on bestand that this plan of sork must receive approval of models approve Surgery losses operalismand by a 🖖

www.marcamed

By African S

____ ____

