

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Santa Fe 080382-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Schwerdtfeger

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

West Kutz-Pictured Cliffs

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 8, T 27N, R 11W  
N M P M

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

THE FRONTIER REFINING COMPANY

3. ADDRESS OF OPERATOR

4040 East Louisiana Avenue, Denver, Colorado 80222

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

SW NE SE Sec. 8, 1650' fr. S line, 990' fr. E line.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

6173 grd.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

X

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Well dead; no further work warranted. Plugged and abandoned in following manner:

1. Mixed and filled hole with mud.
2. Set cement plug from T.D. to 1875' (inside 5½" csg., csg. @ 1928' KB)
3. Shot 5½" csg. free @ 847'; pulled csg.
4. Set cement plug from 899' - 799'.
5. Set 10 sx. surface plug, erected marker, cleaned up location.



18. I hereby certify that the foregoing is true and correct

SIGNED

*L. L. Correll*

TITLE Petroleum Engineer

DATE Sept. 8, 1965

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

cc: New Mexico Oil Conservation Commission  
1000 Rio Brazos Road  
Albuquerque, New Mexico