


(SUBMIT IN TRIPLICATE)

Land Office San Juan

Lease No. 078673

Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. R40 20 is located 1745 ft. from N line and 1796 ft. from E line of sec. 10, August 3, 1956

NE 1/4 (Sec. No.) 27N (Twp.) 11W (R.M.P.N.) New Mexico

West (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6169 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Squeezed perforations from 1695 to 1730 with 100 sacks cement.
Drilled out to total depth of 2,000 feet.
Perforated interval from 1948 to 1996' with four shots per ft.
Sand-water fraced with 420 bls water and 15,000 lbs. sand-type 1020.
Completed July 1, 1956, in the Pictured Cliffs formation with an open flow initial potential of 1,500 WCF per day after 7 day shut-in. Shut-in casing pressure - 400 bls.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company R & G DRILLING COMPANY, INC.

Address P.O. Box 1848

Paraginton, N. M.

By J. L. L...

Title Clerk

