Form 3160-5 (June 1990)

### UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No. SF-078673

6. If Indian, Allottee or Tribe Name

Do not use this form for proposals to dri Use "APPLICATION FOR	III or to deepen or reentry to a different reservoir. R PERMIT—" for such proposals	
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
4. Location of Well (Footage, Sec., T., R., M., or Survey Do	Sec. 10, T27N, R11W	8. Well Name and No.  Schlosser #20  9. API Well No.  30-045-0669000  10. Field and Pool, or Exploratory Area  Kutz PC West  11. County or Parish, State  San Juan County, NM
2. CHECK APPROPRIATE BOX(	s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent  Subsequent Report  Final Abandonment Notice	Abandonment  Recompletion  Plugging Back  Casing Repair  Altering Casing  Other Plugging back PC,  Recompletion in Fruitland Coal	Completion of Italian provider
Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true vertical states and true vertical states are also as a per attached procedure.	Il pertinent details, and give pertinent dates, including estimated date of starting cal depths for all markers and zones pertinent to this work.)*	g any proposed work. If well is directionally drillec.

AUG117,1992

OIL CON. DIV.

9 FARISHIGTON, N.M.

I hereby certify that the foregoing is true and correct		D. J. Brains		8-10-92
Signed WM N. IVI YOUX	Title	Petroleum Engineer	APPROVED	
(This space for Federal or State office use)			AS AMENDEL	)
Approved by	Title	<	AUZ)1 3 1992	
			A MANAGEF	}

# FRUITLAND COAL RE-COMPLETION PROGNOSIS R & G DRILLING CO. SCHLOSSER #20 SWNE SEC 10, T27N R11W SAN JUAN COUNTY, NEW MEXICO

EXISTING TUBULARS

CASING: 5-1/2" 14.0 #/FT K-55 SET @ 2030'

TUBING: 1-1/4" 2.4 #/FT J-55 EUE SET @ 1949'

EXISTING PERFORATIONS

PICTURED CLIFFS: 1948 - 1996 @ 4SPF

SQUEEZED PERFORATIONS

FRUITLAND SAND: 1695 - 1700 @ 2SPF

1715 - 1730 @ 2SPF

PROCEDURE

- 1. MOVE IN AND RIG UP COMPLETION UNIT. SET ANCHORS IF NECESSARY.
- 2. DIG AND FENCE RESERVE PIT. INSTALL 2" BLOWDOWN LINES.
- 3. BLOW DOWN WELL. KILL WITH FRESH WATER IF NECESSARY. NIPPLE DOWN WELLHEAD AND NIPPLE UP BOP. CHECK AND REPLACE WELLHEAD VALVES IF NECESSARY.
- 4 . TRIP 1-1/4" TUBING OUT OF HOLE. TALLEY TUBING.
- 5. RIG UP WIRELINE. RUN GAMMA RAY-CLL FROM PBTD TO 1500' FOR CORRELATION. SET CIBP AT 1946'.
- 6. PICK UP 2-7/8" 6.5 #/FT N-80 TUBING FOR WORK STRING. TAG CIBP WITH TUBING AT 1946' FOR DEPTH CORRELATION. MOVE TUBING TO 1941'. (BOTTOM FRUITLAND COAL PERFORATION).
- 7. RIG UP PUMP TRUCK. PRESSURE TEST CASING AND CIBP TO 500 PSI.
  (REMEMBER SQUEEZED FRUITLAND SAND PERFS). CIRCULATE HOLE CLEAN
  WITH FRESH WATER. SPOT 150 GALLONS OF 7-1/2% DI HCL ACID ACROSS
  THE FRUITLAND COAL INTERVAL. (BE VERY CAREFUL OF THIS SPOT DUE TO
  SQUEEZED FRUITLAND SAND PERFS ABOVE).
- 8 . TRIP TUBING OUT OF HOLE.
- 9 . RIG UP WIRELINE. PERFORATE THE FRUITLAND COAL INTERVAL WITH .50" HOLES AT 4 JSPF USING A 4" CASING GUN AS FOLLOWS:

1886 - 1893	7 FT	28 HOLES
1930 - 1934	4 FT	16 HOLES
1935 - 1941	6 FT	24 HOLES
TOTAL	17 FT	68 HOLES

(NOTE: PERFORATIONS MAY CHANGE SLIGHTLY AFTER GR LOG ANALYSIS)

- TRIP IN HOLE WITH INFLATABLE PACKER ON 2-7/8" TUBING. SET PACKER 10 . AT 1910'.
- RIG UP PUMP TRUCK. BREAKDOWN UPPER FRUITLAND COAL PERFORATIONS 11. DOWN THE ANNULUS AND BASAL FRUITLAND COAL PERFORATIONS DOWN THE TUBING. RECORD ALL RATES AND PRESSURES.
- 12. MOVE TUBING AND PACKER UPHOLE AND SET AT +/- 1800'.
- 13 . FRACTURE STIMULATE ENTIRE FRUITLAND COAL INTERVAL THROUGH 2-7/8"
  - TUBING WITH 64.000 GALLONS OF 70 QUALITY NITROGEN FOAM (FLUID IS 20# GUAR GEL) CONTAINING 10,000# 40/70 MESH SAND FLUID LOSS
  - ADDITIVE AND 80,000# 20/40 MESH SAND PROPPANT AS FOLLOWS: 10,000 GALS OF 70 QUALITY FOAM PAD 5,000 GALS OF 1 PPG 40/70 SAND 5,000 GALS OF 70 QUALITY FOAM SPACER 5,000 GALS OF 1 PPG 40/70 SAND 5,000 GALS OF 70 QUALITY FOAM SPACER 10.000 GALS OF 1 PPG 20/40 SAND 10,000 GALS OF 2 PPG 20/40 SAND 8,000 GALS OF 3 PPG 20/40 SAND 4,000 GALS OF 4 PPG 20/40 SAND
    - DESIRED RATE: 25 BPM EXPECTED TREATING PRESSURE: 2500 PSI

500 GALS OF 70 QUALITY FOAM FLUSH

2.000 GALS OF 5 PPG 20/40 SAND

- (NOTE: ALL WATER TO CONTAIN 1% KCL AND 1/2 GAL/1000 CLAY STABILIZATION AGENT)
- 14. SHUT WELL IN LONG ENOUGH TO OBSERVE FRACTURE CLOSURE PRESSURE.
- FLOW WELL BACK TO THE ATMOSPHERE THROUGH A 1/2" TAPPED BULLPLUG 15 . UNTIL THE WELL CLEANS UP OR DIES.
- RELEASE PACKER AND TRIP 2-7/8" TUBING OUT OF HOLE, LAYING DOWN THE 16. WORK STRING.
- 17 . TRIP THE 1-1/4" TUBING BACK IN THE HOLE WITH A NOTCHED COLLAR ON THE END AND A SEATING NIPPLE 1 JOINT UP. CLEAN OUT SAND AS NECESSARY.
- 18 . LAND TUBING AT +/- 1900'. NIPPLE DOWN BOP AND NIPPLE UP WELLHEAD.
- 19 . SWAB WELL IN IF NECESSARY. FLOW WELL TO CLEANUP FOR ADF.

Form 3160-5 (June 1990)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

SF-078673

		1 31-010013
Do not use this form for proposals to dri	AND REPORTS ON WELLS  Il or to deepen or reentry to a different reservoir.  R PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		-
Oil S Gas Other		8. Well Name and No.
2. Name of Operator R & G Drilling Company	C/O WM Developed	Schlosser #20
3. Address and Telephone No.	C/O KM Production Company	30-045-0669000
PO Box 2406, Farmington, NM 8	37499 (505)325-6900	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De	escription)	Kutz PC West
1745' FNL & 1790' FEL	Sec. 10, T27N, R11W	11. County or Parish, State  San Juan County, NM
12. CHECK APPROPRIATE BOX(	s) TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice	Casing Repair  Altering Casing	Conversion to Injection
	Other See Below	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)
<ol> <li>Describe Proposed or Completed Operations (Clearly state algive subsurface locations and measured and true vertically)</li> </ol>	ll pertinent details, and give pertinent dates, including estimated date of start cal depths for all markers and zones pertinent to this work.)*	ing any proposed work. If well is directionally drillec-
D . I . S . WOOD	0.100	
Per the request of NMOCD, a	new C-102 plat is presented for this	well.
RECEIVED BLM 331 PH 3: 20		
	FR 12	Fa m = 1
RECE BL AUG 31	W E	
	, <b>UU</b> ,	-
25 J	SE	
<u> </u>	OIL	ON. CA.
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	DIST. 3
	•	
( 1		
14. I hereby certify the the foregoing of the last correct Signed	Title Petroleum Engineer A	CCEPTED FOR REQUED
(This space for Federal or State office use)		SEP_01 1992
Approved by	Title	FARMINGTON RESOURCE AREA
		PARTITION RESOURCE AREA

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

### State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-89

# OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87,504-2088

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT II P.O. Drawer DD, Artesia, NM \$8210

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

## WELL LOCATION AND ACREAGE DEDICATION PLAT All Distances must be from the outer boundaries of the section

erator			Leas				Well No.
&G Drilli		O KM Product:		Schlosser			#20
it Letter	Section	Township	Rang			County	_
	10	T27N		R11W	NMPM	Se	n Juan
tual Footage Loc				1700		D	L' Es V V D V
745 aund level Elev.	feet from the	North cing Formation	line and	1790	feet from the	e Eas	t line N.M.P.M. Dedicated Acreage:
169'		-			itland Coa	.1	320 Acres
1 Outlin	e the acreage dedic	itland Coal	by colored peacil or	hachure marks on the pla	below.		<u> </u>
2. If mo	re than one lease is	dedicated to the well, o	utline each and ident	fy the ownership thereof	(both as to working		
	re than one lease of ation, force-pooling		dedicated to the well,	have the interest of all o	wners been consolid	iated by com	munitization,
	Yes	□ No If ans	wer is "yes" type of o	consolidation			
	r is "no" list the over if necoessary.	vnen and tract description	ons which have actua	lly been consolidated. (U	se reverse side of		
No allow	vable will be assign	ed to the well until all i	nterests have been co	nsolidated (by communit	ization, unitization,	forced-poolis	ng, or otherwise)
or until	a non-standard unit	eliminating such intere	st, has been approved	by the Division.			
**************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				/////8	OPERAT	OR CERTIFICATION
							certify that the inform
	į			Į.			in in true and complete to
	!		ζ,	ì	3   ~	st of my know	viedge and belief.
	!		7.	!	3 3	gnatylpt	1 1/1///
	ļ		10,	ļ.	3	llinn	S. Myan
			_		Pr	inted Name	<u> </u>
<u> </u>			<u> </u>			Kevin I	H. McCord
 				ļ	<b>₩</b>	osition	
	ļ.		_	1790	'		eum Engineer
	ļ		⊙		3 10	ompany	7 Deceler
	į.			1	3 -	Kobert	L. Bayless
	1					8-28-9:	2
	ļ			i 1	3 ⊨		
						SURVE	YOR CERTIFICATION
					11,	Laraby card	fy that the well location t
ļ	ļ			9 1 1 1			was plotted from field no
1	ļ		1 13/ 25	ا اسانست ر کا			s made by me or unde
	ļ						nd that the same is true se best of my knowledge
	į.			p 0.1 <b>0</b> 92	1 1	orreci io ii elief.	e best of my knowledge
	!			TON DIV	L		
ļ	ļ				[ ] '	Date Surveyo	1
			T			Signature & S	eal of
	!		1	i		Professional S	
	i 1	M.M.	18 91 PM 3	i		origin	al plat on file
:	) 			#4 87.1		OLTETH	ar prac on rire
	i 1	50	E Hd 100	1	11		
	;		L 40 18 31	75 VI			
1	į		<u>ыта</u>	· .	1 [	Certificate No	).
1	t t			В	1 1		