

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Stanolind Oil and Gas Company; Hobbs, New Mexico; September 22, 1950

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as \_\_\_\_\_

Stanolind Oil and Gas Company-Bruce Sullivan Well No. 2 in SE 1/4 NW 1/4  
Company or Operator Lease

of Sec. 11, T 27-N, R 10-W, N. M., P. M., Kutz Canyon Field, San Juan County.

N

The well is 990 feet (N) (S) of the North line and 990 feet  
(E) (W) of the West line of Sec. 11, T-27-N, R-10-W

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is R. Bruce Sullivan

Address Durango, Colorado

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is \_\_\_\_\_

Address \_\_\_\_\_

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Rotary tools to production string casing point (approx. 2065') and cable tools through Pictured Cliffs to approximately 2400'

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: On file with the Commission

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
12-1/4"	8-5/8"	22.7# Armco	Second Hand	100'	Cemented	75 sacks or back to surface.
7-7/8"	5-1/2"	14# J-55	" "	2065'	"	100 sacks.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 2065 feet.

Additional information: Copies of electrical and radioactivity surveys will be furnished on request and all regulations of the Commission will be complied with.

Approved SEP 25, 1950

except as follows:

Sincerely yours,

Stanolind Oil and Gas Company  
Company or Operator

By

R. L. Hendrickson  
Position Field Engineer

Send communications regarding well to

Name Ralph L. Hendrickson

Address Box "F"; Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By

Oil and Gas Inspector Dist. #3

Title




Company Stanolind Oil And Gas Company.

Lease \_\_\_\_\_ Well No. 2 Bruce Sullivan.

Sec. 11. T. 27. N., R. 10. W., N.M.P.M.

Location 290' South & 290' East of NE Cor. Sec. 11.

Being in Sd. NW NW section 11-T27-R10.  
San Juan County New Mexico



N

Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

*H. H. Miller*  
Registered Professional  
Engineer and Land Surveyor.

Farmington, New Mexico

Surveyed September 16, 50.

1. The first step in the process of creating a new product is to identify a market need. This involves conducting market research to determine what consumers are looking for and what problems they are trying to solve.

2. Once a market need has been identified, the next step is to develop a concept for a product that meets that need. This involves brainstorming ideas and creating a prototype.

3. The third step is to create a business plan for the product.

4. The fourth step is to secure funding for the product.