



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. SE-077304
Unit N. H. Galt "H"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	408 21 1959
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

RECEIVED
U.S. GEOLOGICAL SURVEY
FARRINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

N. H. Galt "H"

Farrington, New Mexico August 20, 1959

Well No. 1 is located 1450 ft. from N line and 990 ft. from W line of sec. 1

SW/4 Section 1 (1/4 Sec. and Sec. No.) T27N (Twp.) R10W (Range) N.M.P.M. (Meridian)

Angels Peak Dakota (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (To be reported later.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to an approximate total depth of 6700' with rotary tools to evaluate Dakota prospects. Stimulation and completion will be as indicated upon reaching total depth. The following casing program is proposed:

SIZE	DEPTH	CEMENT	REMARKS
8-5/8"	350'		Test - circulate.
4-1/2"	6700'		

Casing will be cemented in 2 stages. First stage 45 gal followed by 100 sacks neat or sufficient to fill 500' above top of Dakota. Second stage 45 gal cement with IW tool set approximately 100' below Pictured Cliffs and sufficient cement to fill 200' - 300' above Pictured Cliffs.

A copy of any survey taken will be submitted upon completion of well. Copies of location plate attached.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Box 487

Farrington, New Mexico

Attn: L. O. Spear, Jr.

ORIGINAL SIGNED BY
R. M. Bauer, Jr.

By

Title

Area Engineer

