Form 9-881 a (Feb. 1951)						
				Z		
			!			

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa	Fe
	077384	
Lease No	SE/4	
Unit		

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION NOTICE OF INTENTION	ON TO DRILL				! 1
NOTICE OF INTENTION		1 1	SOUSEQUETT THE O	RT OF WATER SHUT-OFF	; İ
NOTICE OF INTENTIO	ON TO CHANGE PLANS		SUBSEQUENT REPO	RT OF SHOOTING OR ACIDIZE	NG
ł	ON TO TEST WATER SHUT-OFF		•	RT OF ALTERING CASING	1 1
	ON TO RE-DRILL OR REPAIR WEL	<b>L</b>	SUBSEQUENT REPOI	RT OF RE-DRILLING OR REPA	\IR
NOTICE OF INTENTIC	ON TO SHOOT OR ACIDIZE		SUBSEQUENT REPO	RT OF ABANDONMENT	
NOTICE OF INTENTIO	ON TO PULL OR ALTER CASING		SUPPLEMENTARY W	ELL HISTORY	
NOTICE OF INTENTIO	ON TO ABANDON WELL				
	(INDICATE ABOVE BY CH	IECK MARK NATU	RE OF REPORT, NOT	CE, OR OTHER DATA)	
			Apr	11 <b>1</b> 3 <b>,</b> 19 <b>5</b> 4	19
Turner- (	Galt  1 is located 1,600	ft. from {S	line and 9	oo ft. from E lin	e of sec
SE/4 Sec. 6	T 27 N	R 10 W		M. P. M.	
(1/2 Sec. and Se Fulcher - K		San Juan		(Meridian) New Mexico	) <b>.</b>
(Field)		(County or Sub-	division)	(State or Terri	tory)
		1 1.	6-002 c	(Ungraded)	
The elevation	above above	e sea level i	s die it.	<b>\0</b> -	
		DETAILS	OF WORK		
				6 to disease	
(State names of and ex	spected depths to objective sand ing point	s, and all other i	important proposed	work)	inducting jobs, cernetit-
	ll with rotary too en 1,900 feet and actured Cliff form	2,100 fee	t below sur	face - then dril	1 4-3/4" ret
ole through P ith solidifie	d mitro glycerin.	10.			
ole through P ith solidifie	: 100 feet of 8-5	/8" new H	1-40 <b>8</b> rd. t	hd. 32# casing.	
ole through Pith solidified sing program ement to surf.	: 100 feet of 8-5				Circulate
ole through Pith solidified sing program ement to surfully a lift solid sacks tubing to be	: 100 fact of 8-5 acc.	be set on	top of Pic	tured Cliff for	Circulate
ole through Pith solidified sing program ement to surface 1/2" - 1h# sith 150 sacks	: 100 feet of 8-5 ace. eamless casing to regular cement. e set within 50 fe	be set on	top of Pic	tured Cliff for	Circulate
ole through Pith solidified sing program ement to surfully a lift solid sacks tubing to be I understand that	eamless casing to regular cement.  e set within 50 fe this plan of work must receive a	be set on et of tot approval in writi	al depth fo	tured Cliff for	Circulate

The state of the s

and the second of the second o

general and the second of the

Company J. GIFNN TU	T. A.		
Lease. Turner- Galt	w	Vell No. 1	
Sec6 T	27 N , R 10 W.	, N.P. P.K.	
Location 1600! from the East line		9001from	
Elevation 6002	lingraded grund		
San Juan County	I' .	New Merico	
	1		
	—(6)——		
	T		
		900'-	
		000	N
			9 195th
Scale 4 inches equal 1 mil	e.		S. S. Some
This is to certify that the	above plat was prepared	from field notes	0.51.3
of actual surveys made by same are true and correct t	to the best of my knowle	edge and belief.	
la la	hart 1	filler	
Seal:	Registered Profess Engineer and Land S	ional Char Surveyor. N. Mox	les J. Finklea . Reg. No. 1302
Surveyed	12 April	, <sub>19.</sub> 54	DECEIVE
			APR 1 3 1954
			U.S. CEOUCEGON CHEVEN FARMINGTON, N. IA.