

STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office 78935

Lease No. 1/4 of sec. 3

Unit off, 1-12, 1-13, 1-14

SUNDRY NOTICES AND REPORTS ON WELLS

JUN 17 1951

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 14 51

19

Well No. 3 is located 1650 ft. from N line and 990 ft. from E line of sec. 3
1/4 of sec. 3 T-27 N R-12 E Sec. 3
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
San-Juan County New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

(To be furnished later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The objective sand is the pictured cliffs. The top is expected at about 1640'. The producing string will be 5-1/2" casing, which will be cemented. Surface casing, drilling casing, and production string will be set if and where needed approximately as follows:

50' of 5-5/8" S.C. cemented to surface. 1640' of 5-1/2" S.C. cemented with approximately 100 sacks.


All to be drilled with rotary tools to top of pictorial cliff sand. Casing will be set and well drilled into pay zone with cable tools. The well will then be shot with approximately 150 quarts of nitroglycerine.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company 113 First National Bank Building


Address Marillo, Texas

By L. J. Underwood
Title Managing Partner



Company **Danube Oil Co,**
Lease **Thompson-Federal** Well No. **3**
Sec. **3** T. **27 N** R. **12 W,** **N.M.P.M.**
Location **1650' from the South line,**
990' from the East line.

San Juan County **New Mexico**



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Professional **Charles J. Finklea**
Engineer and Land Surveyor. **N.Mex. Reg. No. 1302**

Surveyed **June 14**, 19 **51**