STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN. TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

and Office .	Santa	тe
	080382)
Jenit		

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLAI NOTICE OF INTENTION TO TEST WATER NOTICE OF INTENTION TO RE-DRILL OR NOTICE OF INTENTION TO SHOOT OR AL NOTICE OF INTENTION TO PULL OR ALI NOTICE OF INTENTION TO ABANDON WI	SHUT-OFF SUBSEQUENCE REPAIR WELL SUBSEQUENCE SUBSEQUENCE SUBSEQUENCE SUBSEQUENCE CASING SUPPLES	UENT REPORT OF WATER SHUT-OFF UENT REPORT OF SHOOTING OR ACIDIZING WENT REPORT OF ALTERING CASING WENT REPORT OF REDRILLING OR REPAIR WENT REPORT OF ABANDONMENT	
(INDICATE	ABOVE BY CHECK MARK NATURE OF RE		- 61
		May 10 me and $\frac{900}{100}$ ft. from $\frac{E}{W}$ line	
CTA Sec. 5	27N 11W	New Vexico (Meridian) New Vexico	
W. Kutz Canyon	San Juan	Mew Mexico (State or Territo	
. Prill surface hond cement to surface. Test surface cashiffs sandstone at . Run electric log	ole and run and sections, dement plug approximately 210 g to total depth. roximately 2000' coured Cliffs sand	of 5½" U-40 14# casin Istone and cement wit	Pictured To reduced th 150 sacks
f cement. Move off rotary	aut to bottom and	shoot with hitro sho e well ready for prod) t. •
f cement Move off rotary ement plug, clean cut after . Clean out after	out to bottom and shot and complete must receive approval in writing by	shoot with hitro side well ready for productions me	luction.
f cement Move off notary ement plug, clean cut after . Clean out after	out to bottom and shot and complete must receive approval in writing by	shoot with hitro side well ready for productions me	luction.
f cement Move off notary ement plug, clean of after	out to bottom and shot and complete must receive approval in writing by the REFERINING COMPAN	shoot with hitro side well ready for productions me	luction.
f cement Move off notary ement plug, clean of after lunderstand that this plan of work Company THE FROMPT Address 410 Poston	out to bottom and shot and complete must receive approval in writing by the REFERINING COMPAN	shoot with hitro side well ready for productions me	inction.

And indicated in you can included to the property internatives for a final contract of the con	
O(1.076) . $I(1.08)$	
CONSERVATION	OIL
COMMISSION)
0.000 # 9.0000	
765-3-35 33	

OCHERN LICE STEEL

$IN.TRIPLICA\widetilde{\imath}E)$	(Submit
-----------------------------------	---------

Land Office

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

OF WAIER SHUT-OFF			OFFICE OF INTENTION TO DRILL
F SHOOTING OR ACIDIZING			STICE OF INTENTION TO CHAN
S REDRILLING OR REPAIR			STREE OF INTENTION TO TEST
OF AEAMDONNENT			E LE OF INTENTION TO RE-DISTREE OF LITERATION TO SHOO
anstery			CTILE OF INTENTION TO PULL
).	113# 400i	OTHCS OF INTENTION TO ABAN
OR OTHER DATAS	HARR NATURE OF REPORT, NOTICE	DICA IE ABOVE BY CHECK	NI)
			•
	THE STATE OF STREET STREET, SAID STREET, SAI		
· (E)	· · · · · · · · · · · · · · · · · · ·		
ft. from W line of sec.	t. from S line and	s located	ii
		# 3	
VENET STREET	(Months)	q &T)	(.c.) set bas not so
(Lists of Territory)			•
÷	(hunty or Bubilivision)	<u>)</u>	(Fiele)
	ETAILS OF WORK	ıa	
roposed czajnyk, indicate mudding jobo, cen 1780	ETAILS OF WORK	Ia	
rosossá czánya, Lidlests mudding jobo, csz rés:	ETAILS OF WORK	Ia	
roposed zaginga, trditate mudding john, cen 1780.	ETAILS OF WORK	Ia	
rosposed czeingz, indicate mudding jobs, cem into	ETAILS OF WORK	Ia	
roposed casings, indicate mudding jobs, cen its)	ETAILS OF WORK	Ia	
roposed czejnyk, indicate mudding jobe, cem into	ETAILS OF WORK	Ia	
roposed casings, indicate mudding jobs, cen its)	ETAILS OF WORK	Ia	
roposed casings, indicate mudding jobs, cem	ETAILS OF WORK	Ia	
roposed cadings, indicate mudding jobs, cem	ETAILS OF WORK	Ia	
roposed casings, indicate mudding jobs, com	ETAILS OF WORK	Ia	
responsed casings, indicate mudding jobs, com	ETAILS OF WORK	Ia	
	ETAILS OF WORK bore sized weights, and lengths of a cd oil orbin important proposed w	[C] space evice do ado a	the numer of and expected dep
	ETAILS OF WORK bore sized weights, and lengths of a cd oil orbin important proposed w	[C] space evice do ado a	the numer of and expected dep
	ETAILS OF WORK for sized weights, and lengths of a and all order important proposed w	Discrive made; of ling printle, at ling	I understand that this plant
reposed casings, indicate mudding jobs, com	ETAILS OF WORK for sized weights, and lengths of a and all order important proposed w	Discrive made; of ling printle, at ling	I understand that this place
	ETAILS OF WORK to relieve weights, and isngiles of a at all out in important proposed w to the writing by the Coological	Discrive made; of ling printer, and ling printer	I understand that this plate



Company	rontier Ref	ining Compa	ny
Lease			Well No
Sec5	т. 27	N., R 11	
			and 1650 from
the San Juan Co	e South line unty	•	New Mexico
ļ			
		5	

Scale-4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

ahui

Seal:

Registered Professional Engineer and Land Surveyor.

Charles J. Finklea N. Mex. Reg. No. 1302

Farmington, New Mexico

Surveyed April 27 , 19 51