1-Reymond 011

Form **9-881 a** (Feb. 1951)

ł	 	
	,	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget	Bureau	No.	42-R358.	ı.
Approv	al expire	s 12-	-31-60.	

Land Office Sauta 70

Loase No. SF 080382

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

		Deces	ber 23	, 19 59 .
Easta 7e Well No. G-1	is located 2310 ft	. from $\left\{\begin{matrix} \mathbf{S} \\ \mathbf{S} \end{matrix}\right\}$ line and $\left\{\begin{matrix} \mathbf{S} \\ \mathbf{S} \end{matrix}\right\}$	310 ft. from $\left\{egin{array}{c} lackbox{N} \\ lackbox{W} \end{array} ight\}$ line	of sec 5
Maj Ski Sec 5	27 ×	F 11 V	W.M.	
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
Undesignated	Sa	un Juan	New Mexico	
(Field)		County or Subdivision)	(State or Territo	ry)

The elevation of the derrick floor above sea level is

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

Forf 4 holes per ft 5824-5840 and 5892 to 5900. Frac perf w 19,400 gal crude 17,000/ 20-40 ad 30 balls breakdown 1500/ five 2400 Max 4000 Ave In 27.1 B/M frac sanded off before flush in hole. Cleaned out well ran much test on well at 5 MDP hour - . e-fraced well with 12,750 gal erude 16000# 20-40 ed. Ave 2500# Bax 2600 Ave IE 42.5 B/M Cleaned out well ran the to 5000' - symbled well in - flowing.

