

(SUBMIT IN TRIPLICATE)  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Santa Fe  
Land Office 077382  
Lease No. R. P. Hargrave  
Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, June 26, 1951

Well No. G-1 is located 1650 ft. from [N] line and 990 ft. from [W] line of sec. 3  
NW/4 of Section 3 T-27-N R-10-W NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Fulcher-Kuts San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6090 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well was spudded June 17, 1951.

On June 18, 1951, 9" casing was landed at 120 feet and cemented with 60 sacks. Cement circulated to surface. Plug down at 1:15 P.M., June 18, 1951. At 1:30 P.M. June 19, 1951, casing and water-shut off were tested at 300 lbs. pump pressure. There was no decrease in pressure during 30 minutes test. Thirty feet of solid cement was drilled in bottom of pipe and water shut-off was again tested at 300 lbs. for 30 minutes. No drop in pressure during this test. Drilling operations were resumed.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas Company

Address Box 437


Farmington, New Mexico

By

Title Production Foreman

Land Office \_\_\_\_\_  
 Lease No. \_\_\_\_\_  
 Date \_\_\_\_\_

UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY



REPORT OF THE COMMISSIONER OF THE GEOLOGICAL SURVEY


ANNUAL REPORT FOR THE YEAR 1900  
 THE GEOLOGICAL SURVEY OF THE UNITED STATES  
 WASHINGTON, D. C.

Published by the Government Printing Office  
 Washington, D. C.

REPORT OF THE COMMISSIONER OF THE GEOLOGICAL SURVEY

ANNUAL REPORT FOR THE YEAR 1900  
 THE GEOLOGICAL SURVEY OF THE UNITED STATES  
 WASHINGTON, D. C.

Published by the Government Printing Office  
 Washington, D. C.



**LTR**




**Job separation sheet**

STATE OF NEW MEXICO  
OIL CONSERVATION  
COMMISSION  
DISTRICT NO. 3  
Phone 99 P. O. Box 697  
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Santa Fe  
Land Office 077382  
Lease No. R. P. Hargrave  
Unit



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, July 10, 1951

Well No. G-1 is located 1650 ft. from ☒ N ☒ S line and 990 ft. from ☒ E ☒ W line of sec. 3  
NW/4 of Section 3 T-27-N R-10-W NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Fulcher-Kutz San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6090 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)  
On June 28, 1951, at 1:34 A.M., 5-1/2" casing was set at 2014 feet with 65 sacks cement. Rotary rig was moved off of location and cable tool rig rigged up for drilling cement plug and pay. On July 4, 1951, hole was bailed dry and remained dry for two hours. Thirty-four feet of solid cement was then drilled in bottom of pipe and hole again bailed dry. Hole remained dry for two hours which was considered a satisfactory water shut-off test.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas Company

Address Box 487

Farmington, New Mexico

By *R. P. Hargrave*  
Title Production Foreman



DEPARTMENT OF THE INTERIOR  
UNITED STATES  
BUREAU OF LAND SURVEY

Land Office  
Lands No.  
Unit

SUNDRY NOTICES AND REPORTS ON WELLS

ALL REPORTS OF WELLS MUST BE SUBMITTED TO THE BUREAU OF LAND SURVEY IN THE FOLLOWING MANNER:	1. A REPORT OF A WELL MUST BE SUBMITTED TO THE BUREAU OF LAND SURVEY IN THE FOLLOWING MANNER:
2. A REPORT OF A WELL MUST BE SUBMITTED TO THE BUREAU OF LAND SURVEY IN THE FOLLOWING MANNER:	3. A REPORT OF A WELL MUST BE SUBMITTED TO THE BUREAU OF LAND SURVEY IN THE FOLLOWING MANNER:
4. A REPORT OF A WELL MUST BE SUBMITTED TO THE BUREAU OF LAND SURVEY IN THE FOLLOWING MANNER:	5. A REPORT OF A WELL MUST BE SUBMITTED TO THE BUREAU OF LAND SURVEY IN THE FOLLOWING MANNER:

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

DEPARTMENT OF THE INTERIOR

UNITED STATES

BUREAU OF LAND SURVEY

OFFICE OF THE CHIEF OF BUREAU

WASHINGTON, D. C.

1900

1901

1902

1903

1904

1905

1906

1907

1908

1909

1910

1911

1912

1913

1914

1915

1916