



IN REPLY REFER TO:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P. O. Box 965
Farmington, New Mexico

October 6, 1955

Continental Oil Company
Box 1896
Farmington, New Mexico

Re: Navajo I-149-IND-8,61

Gentlemen:


Your "Subsequent Report of Abandonment" dated May 15, 1955 covering your well No. 22 Table Mesa (Ext), located on subject lease in NW 1/4 sec. 2, T. 27 N., R. 17 W., N. M. P. M., San Juan County, New Mexico is hereby approved.

Very truly yours,

(Orig. Sgd.) P. T. McGrath

P. T. McGrath
District Engineer

Inspected by:
P. T. McGrath
October 6, 1955



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF GEOLOGICAL SURVEY



(SUBMIT IN TRIPLICATE)

Indian Agency

Navajo

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee

Lease No. I-149-IND-8461

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

5-16-1955, 19

Well No. T.M. (Ext) #22 is located 1550 ft. from N line and 330 ft. from E line of sec. 2
NW 1/4 T27N R17W ENIM
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Table Mesa San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5277 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate shut-off points, and all other important proposed work)

Top Dakota 1412'
Top Greenhorn 1300
Top Tecito 550'
Cement plug 1445 to 1350' (15 sax)
Cement Plug 600 To 450 (24 sax)
Cement plug at Surface
T.D. 1448'
Pits filled location cleaned up and regulation marker set.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Co.

Address Box 1896

Farmington, N.M.

By Wilbur L. Durr

Title Geologist Supervisor Rig VA-4