

STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION

DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office San Antonio

Lease No. 57791

Unit C. C. McAdams

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, November 23, 1931

Well No. 3 is located 1190 ft. from N line and 1450 ft. from W line of sec. 5

5/4 of section 5
(1/4 Sec. and Sec. No.)

1-27-N
(Twp.)

R-1-E
(Range)

W-1-E
(Meridian)

Falcher-2-14
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 5914 ft. (C.I.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well was drilled to a total depth of 1955 feet with rotary tools. Casing tool removed onto location and well cleaned out to bottom.

Well was plugged with pea gravel from 1955 feet to 1929 feet and was shot with 450 quarts of KCl from 1863 feet to 1929 feet, with gravel cap from 1863 feet to 1858 feet and cal-seal cap from 1858 feet to 1823 feet. Shot detonated at 1:26 P.M. on October 21, 1931. Well was cleaned out to bottom. 1" tubing was landed at 1906 feet. Well was shut in for 72 hours. Shut in casing pressure was 531 psi. Well measured 362 MCF per day after 3 hour blow down through 7" casing outlet with pilot tube through 2" pipe nipple November 20, 1931.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Standard Oil and Gas Company

Address Box 457

Farmington, New Mexico

By A. H. Gibson

Title Area Boss

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO ABANDON WELL	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO PULL OR WATER LIFTING	
NOTICE OF INTENTION TO SHOOT OR OVERLIFT	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF

INDICATE ABOVE EACH ITEM THE NUMBER OF REPORT, NUMBER OF OTHER DATA

८३

1. W is located at _____ from _____
 2. E is located at _____ from _____

(K-11791)

[illegible]

202

7.027 204E 1039 0004 00

(continued)

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

06/11/2017

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

2) The second part of the document is a list of names and addresses of people who have been contacted for information. The list is as follows:

! understand that this plan of work must receive your approval and I would appreciate your help in this regard.

Company

Address

78

0117