



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. SF 078506-A  
Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____ <b>X</b>
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR _____
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____
NOTICE OF INTENTION TO ABANDON WELL _____	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 15, 1960

Tom Bolack Gas Unit "A"

Well No. 1 is located 790 ft. from N line and 1750 ft. from E line of sec. 2

NE/4 2  
(¼ Sec. and sec. No.)

27N  
(Twp.)

11W  
(Range)

NMPM  
(Meridian)

Undesignated Dakota  
(Field)

San Juan  
(County or Subdivision)

New Mexico  
(State or Territory)

The elevation of the ~~cement floor~~ <sup>ground level</sup> above sea level is 5950 ft.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We wish to report the running and cementing of surface casing as follows:

1. Ran 211 ft. of 9 5/8" OD 40#, N 80, LT&C casing with Baker float collar guide shoe and set at 224'.
2. Cemented with 135 sacks regular cement, 2% CaCl<sub>2</sub>.
3. WOC 24 hrs.
4. Pressure tested casing to 600 psi for 30 minutes. Held 0.4.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tennessee Gas Transmission Company

Address P. O. Box 1714

Durango, Colorado

By L. B. Plumb

Title District Production Superintendent